

PERENNIAL VARIETIES FOR 2014 (revised 5/13)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
ACHILLEA (Milfoil, Yarrow)						
<i>The Greek hero Achilles is said to have used Achillea for its wound-healing properties. Prune foliage back to promote new growth and repeat blooms.</i>						
<i>millefolium</i>						
'Saucy Seduction' PP20782	☉ ☞	18-24"	24-30"	flower heads are fuchsia pink maturing to light pink	fragrant, compact, gray-green	early to late summer (Jun-Aug)
'Strawberry Seduction' PP18401	☉ ☞	18-24"	24-30"	flower heads are strawberry-red with golden centers, matures to mostly yellow	fragrant, compact, gray-green	early to late summer (Jun-Aug)
'Sunny Seduction' PP20808 <i>a much improved variety over 'Moonshine'</i>	☉ ☞	18-24"	24-30"	flower heads are lemon-yellow maturing to pastel yellow	fragrant, compact, gray-green	early to late summer (Jun-Aug)
ACONITUM (Helmet Flower, Monkshood, Turk's Cap)						
<i>Aconitum is toxic, but easily grown. Just be sure to keep the sap from your mouth.</i>						
<i>fischeri (Azure Monkshood)</i>						
fischeri	☞ ☝	18-24"	18-24"	spikes are lavender-blue	deep green, glossy, strong stems	late summer to early fall (Aug-Sep)
<i>napellus</i>						
napellus	☞ ☝	30-36"	18-24"	spikes are deep blue	deep green, glossy	late summer to early fall (Aug-Sep)
AEGOPODIUM (Bishop's Weed, Ground Elder, Goutweed, Snow-on-the-Mountain)						
<i>Spreads quickly, so allow plenty of room for growth. Once thought to cure gout.</i>						
<i>podagraria</i>						
'Variegatum'	☉ ☞ ☝	6-12"	60" or more	clusters are white	light green edged in white, spreading	late spring to early summer (May-Jun)
<i>allow plenty of room to grow as it will spread</i>						
AGASTACHE (Anise Hyssop)						
<i>Butterflies and hummingbirds love the blooms on Agastache!</i>						
<i>foeniculum</i>						
foeniculum	☉ ☞	36-42"	36-42"	spikes are cornflower-blue to violet	grayish-green, spicy fragrance	mid summer to early fall (Jul-Sep)
AJUGA (Bugleweed)						
<i>An easy-to-grow and adaptable groundcover or container plant. Try to plant Ajuga in moist but very well-drained soil to prevent crown rot and wilt.</i>						
<i>reptans</i>						
'Black Scallop' PP15815	☉ ☞ ☝	6" or less	12-18"	spikes are deep blue	compact, crinkled, near black, not as spreading as most Ajuga	late spring to early summer (May-Jun)
'Burgundy Glow'	☉ ☞ ☝	6" or less	24-30"	spikes are violet-blue	spreading, crinkled, variegated cream, gray-green, and shades of burgundy-purple	late spring to early summer (May-Jun)
NEW 'Golden Glow'	☉ ☞ ☝	6" or less	18-24"	spikes are violet-blue	spreading, crinkled, variegated cream-yellow, lime-green, and deep green, tints of pink in cooler temps	late spring to early summer (May-Jun)
ALCEA (Hollyhock)						
<i>Alcea is from the word altheo, which means to cure, due to many species' medicinal properties. Taller varieties benefit from staking. Rust often appears on leaves during/after blooming, foliage may be pruned if appearance becomes undesirable.</i>						
<i>rosea</i>						
'Chater's Yellow'	☉ ☞	54-60"	42-48"	bright lemon-yellow, double	medium green	mid to late summer (Jul-Aug)
'Fiesta Time'	☉ ☞	30-36"	24-30"	spike clusters are cerise-pink, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
'Halo Cerise'	☉ ☞	54-60"	36-42"	spike clusters of cerise-pink flowers, deep purple halo, single	medium to deep green	mid to late summer (Jul-Aug)
'Halo Mix'	☉ ☞	54-60"	36-42"	spike clusters are varying shades of pink and purple, each flower with a distinctive halo center, single	medium to deep green	mid to late summer (Jul-Aug)
'Powderpuffs Mix'	☉ ☞	48-54"	42-48"	spikes are mixed (one color per plant) pink, red, white, or yellow, double flowers	medium green	mid to late summer (Jul-Aug)
'Queeny Mix'	☉ ☞	30-36"	24-30"	spike clusters are varying shades of purple, burgundy, and red, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
'Queeny Purple'	☉ ☞	30-36"	24-30"	spike clusters are burgundy-purple, semi-double	medium to deep green, compact	mid to late summer (Jul-Aug)
<i>rosea (Spotlight Series)</i>						
'Mars Magic'	☉ ☞	54-60"	42-48"	single, bright red	medium green	mid to late summer (Jul-Aug)
'Sunshine'	☉ ☞	54-60"	42-48"	single, bright lemon-yellow	medium green	mid to late summer (Jul-Aug)
ALCHEMILLA (Lady's Mantle)						
<i>Keep moist if planted in sunny areas, otherwise foliage has a tendency to scorch.</i>						
<i>mollis</i>						
'Thriller'	☉ ☞ ☝	12-18"	12-18"	clusters are yellow	medium green to gray-green	late spring to early summer (May-Jun)
<i>slightly larger and more robust than A. mollis</i>						

ALLIUM (Ornamental Chives/Onion)

Easy to grow and deer-resistant. The *schoenoprasum* and *senescens* species is especially hardy and drought-resistant.

Hybrid							
	'Millennium'	○ ☞	6-12"	6-12"	purple-pink, globular	grass-like, mounding, medium to light green	mid summer to early fall (Jul-Sep)
<i>schoenoprasum</i>							
NEW	'Rising Star'	○ ☞	6-12"	6-12"	lavender-pink, globular	grass-like, mounding, gray-green, edible	late spring to early summer (May-Jun)
<i>senescens (Curly Onion, Mountain Garlic)</i>							
	'Blue Eddy'	○ ☞	6-12"	6-12"	clear light pink, globular	leathery, twisted narrow leaves, mounding, medium green to blue-green	late spring to mid summer (May-Jul)

ALSTROEMERIA (Inca Lily, Peruvian Lily)

Alstroemeria benefit from winter mulching/protection in our area.

Hybrid							
	'Inca Ice' ('Koice')	○ ☞	24-30"	24-30"	apricot-pink and cream-yellow blend, dark spots and light yellow throat	medium to light green	early to mid summer (Jun-Jul)
	<i>reported to be more winter-hardy than most other varieties for our area</i>						

ANACYCLUS (Mt. Atlas Daisy)

An alpine plant that is resistant to drought. However, it does benefit from moisture in full sun.

<i>depressus</i>							
	depressus	○ ☞	6" or less	6-12"	daisy-like shape, white petals with rose-red-striped undersides	crinkly steel-green	early to mid summer (Jun-Jul)

ANEMONE (Windflower)

Anemone is often overlooked, but is an excellent choice for late summer and fall color (some are spring-bloomers, too). Keep moist.

Hybrid							
	'Honorine Jobert'	○ ☞ ☀	24-30"	24-30"	white with yellow center	medium to deep green	early to late fall (Sep-Oct)
	'Queen Charlotte'	○ ☞ ☀	24-30"	24-30"	semi-double, light pink, yellow centers	medium to deep green	early to late fall (Sep-Oct)
	'Whirlwind'	○ ☞ ☀	30-36"	36-42"	semi-double, white	medium to deep green	late summer to late fall (Aug-Oct)
	<i>usually only available in late summer-fall</i>						
<i>sylvestris (Snow Drop Anemone)</i>							
	sylvestris	○ ☞ ☀	6-12"	18-24"	cup-shaped, pure white	deep green	late spring to early summer (May-Jun)
	<i>can spread if allowed, repeats bloom in fall, makes a nice groundcover as well</i>						

AQUILEGIA (Columbine)

Aquilegia is derived from *aquila*, like an eagle, which may refer to the beak-like spurs on the flowers.

Hybrid							
	'Sunshine'	○ ☞ ☀	24-30"	24-30"	double, yellow, long spurs	light green to gray-green	late spring to early summer (May-Jun)
<i>Hybrid (Origami Series) : larger flowers and longer-blooming than most Aquilegia</i>							
	'Blue & White'	○ ☞ ☀	12-18"	12-18"	violet-blue with white center	compact, gray-green	early spring to mid summer (Apr-Jul)
	'Yellow'	○ ☞ ☀	12-18"	12-18"	lemon-yellow with white center	compact, gray-green	early spring to mid summer (Apr-Jul)
<i>Hybrid (Songbird Series)</i>							
	'Cardinal'	○ ☞ ☀	18-24"	18-24"	bright red with white center	gray-green	late spring to mid summer (May-Jul)
	'Mix'	○ ☞ ☀	18-24"	18-24"	mixed (one color per plant) blue, pink, red, or white	gray-green	late spring to mid summer (May-Jul)
	'Robin'	○ ☞ ☀	18-24"	18-24"	soft pink with white center	gray-green	late spring to mid summer (May-Jul)

ARALIA (Golden Japanese Spikenard)

Its bold foliage brightens up any shady area.

<i>cordata</i>							
	'Sun King'	☞ ☀	30-36"	30-36"	white, purple-black berries	bright gold to chartreuse, greener in shade	early to mid summer (Jun-Jul)

ARMERIA (Sea Pink, Sea Thrift)

Often reblooms in the fall months. Divide every few years to keep the clump centers from dying out.

<i>maritima</i>							
	'Bloodstone'	○ ☞	6-12"	6-12"	rose-red to pink, globular shape	grass-like, mounding, medium to light green	late spring to mid summer (May-Jul)
	'Morning Star Deep Rose'	○ ☞	6" or less	6" or less	deep rose-pink, globular shape	grass-like, compact, medium to light green	late spring to early summer (May-Jun)
	<i>even more compact than most Armeria, great for containers</i>						

ARTEMISIA (Mugwort, Wormwood)

Good as a filler for cut bouquets, or as an accent plant in the garden.

<i>schmidtiana</i>							
	'Silver Mound'	○ ☞	6-12"	6-12"	clusters are yellow, insignificant	soft silvery leaves, mounding	mid to late summer (Jul-Aug)
	<i>makes a perfect accent to other surrounding plants</i>						

ARUNCUS (Goat's Beard)

Similar to *Astilbe*, *Aruncus* needs a good amount of moisture if planted in sunny areas.

<i>dioicus</i>							
	dioicus	☞ ☀	42-48"	42-48"	feathery, spikes are creamy white	medium green	early to mid summer (Jun-Jul)

ASARUM (Wild Ginger)

Relatively slow-growing, but if you are patient and keep it moist, few groundcovers are as attractive.

europaeum (European Wild Ginger)

europaeum	☞ ☀	6-12"	30-36"	burgundy-purple, insignificant	deep green, glossy, spreading	late spring to early summer (May-Jun)
<i>slow to spread</i>						

ASTER (Hardy Aster, Michaelmas Daisy)

A blackened appearance on most Asters after blooming or planting is normal. Just trim back the undesirable foliage.

tongolensis (East Indies Aster)

'Wartburg Star'	○ ☞	12-18"	12-18"	light violet-blue with yellow centers, daisy-like	deep green, mounding	late spring to early summer (May-Jun)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						

ASTILBE (False Spirea, Feather Flower)

Keep moist. If Astilbe is forced to withstand a stressful dry period, it will go dormant. (It isn't dead so don't worry. It will grow back.)

arendsii

NEW 'Astasy Pink'	○ ☞ ☀	6-12"	6-12"	plumes are light pink	glossy, compact, medium green	early to mid summer (Jun-Jul)
'Bridal Veil'	○ ☞ ☀	24-30"	24-30"	plumes are white, drooping tips	glossy, deep green	early to mid summer (Jun-Jul)
'Fanal'	○ ☞ ☀	18-24"	18-24"	plumes are blood-red	deep green with deep red highlights	early to mid summer (Jun-Jul)
'White Gloria'	○ ☞ ☀	24-30"	24-30"	feathery, plumes are pure white	medium to deep green, glossy	mid to late summer (Jul-Aug)

chinensis (Chinese Astilbe)

NEW 'Amber Moon' PPAF	○ ☞ ☀	30-36"	24-30"	plumes are rose-pink	chartreuse-yellow maturing to light green, red stems	mid to late summer (Jul-Aug)
'Delft Lace' PP19839	○ ☞ ☀	24-30"	24-30"	plumes are peach pink	deep green to blue-green, waxy overlay	mid to late summer (Jul-Aug)
'Vision in Pink' PP11860	○ ☞ ☀	18-24"	18-24"	plumes are pale pink, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Vision in Red' PP11965	○ ☞ ☀	18-24"	18-24"	plumes are rose to light red, fluffy	deep green to blue-green	mid to late summer (Jul-Aug)
'Vision in White' PP18965	○ ☞ ☀	18-24"	18-24"	plumes are white, fluffy	deep green	mid to late summer (Jul-Aug)

Hybrid (Short n' Sweet Series) : compact habit, perfect for containers

'Fireberry' PP20658	○ ☞ ☀	12-18"	12-18"	plumes are raspberry-pink	compact, medium green	early to mid summer (Jun-Jul)
'Sugarberry' PP20674	○ ☞ ☀	12-18"	12-18"	plumes are soft pink	compact, medium green	early to mid summer (Jun-Jul)

Hybrid (Yonique Series) : compact habit, perfect for containers

'Carmine' ('Verscarmine' PP20324)	○ ☞ ☀	12-18"	12-18"	plumes are fuchsia-red	compact, medium to light green green	early to mid summer (Jun-Jul)
'Lilac' ('Verslilac' PP19847)	○ ☞ ☀	12-18"	12-18"	plumes are lavender-pink	compact, medium to light green green	early to mid summer (Jun-Jul)
'Silvery Pink' ('Verssilverypink' PP20656)	○ ☞ ☀	12-18"	12-18"	plumes are pale pink	compact, medium to light green green	early to mid summer (Jun-Jul)
'White' ('Verswhite' PP19845)	○ ☞ ☀	12-18"	12-18"	plumes are ivory-white	compact, medium to light green green	early to mid summer (Jun-Jul)

japonica

'Deutschland'	○ ☞ ☀	12-18"	12-18"	plumes are white	compact, medium green	early to mid summer (Jun-Jul)
'Montgomery'	○ ☞ ☀	18-24"	18-24"	plumes are dark red	deep green with bronze highlights	mid to late summer (Jul-Aug)
'Red Sentinal'	○ ☞ ☀	18-24"	18-24"	plumes are scarlet-red	deep green with dark red highlights	early to mid summer (Jun-Jul)
'Rheinland'	○ ☞ ☀	18-24"	18-24"	plumes are rose-pink maturing to light pink	medium green	early to mid summer (Jun-Jul)

simplicifolia

'Hennie Graafland'	○ ☞ ☀	6-12"	6-12"	plumes are light pink	deep green, compact	mid to late summer (Jul-Aug)
'Sprite'	○ ☞ ☀	6-12"	6-12"	plumes are light pink	deep green with bronze highlights, compact	mid to late summer (Jul-Aug)
<i>1994 PPA Perennial of the Year</i>						

ASTRANTIA (Masterwort)

Prefers extra moisture if planted in mostly sunny areas.

Hybrid

'Abbey Road' PP14961	○ ☞ ☀	18-24"	12-18"	dark wine-red, lighter centers	medium green, purple stems	early to late summer (Jun-Aug)
-----------------------------	-------	--------	--------	--------------------------------	----------------------------	--------------------------------

major

'Star of Billions' PP20352	○ ☞ ☀	18-24"	18-24"	clusters are white, greenish tips	medium to deep green	early to late summer (Jun-Aug)
-----------------------------------	-------	--------	--------	-----------------------------------	----------------------	--------------------------------

AURINIA (Allysum, Basket of Gold, Madwort)

The common name Madwort comes from the ancient belief that it has powers to calm the troubled mind.

saxatilis

'Summit'	○ ☞	6-12"	12-18"	clusters are sulphur-yellow	gray-green, attractive even when not in bloom	early to late spring (Apr-May)
<i>an improved seed strain</i>						

BAPTISIA (Blue Indigo, False Indigo)

Baptisia does become large after a few years, so allow enough room. Prune spent blooms and stems to promote continued flowering. 2010 PPA Perennial of the Year.

australis

'Caspian Blue'	○ ☞	42-48"	42-48"	deep violet-blue	gray-green	late spring to early summer (May-Jun)
-----------------------	-----	--------	--------	------------------	------------	---------------------------------------

BELLIS (English Daisy)

Bellis is from the Latin word bellus which means pretty. Most times Bellis will repeat its bloom again in fall with cooler temps. Prefers extra moisture if in full sun.

perennis

'Habanera Red'	○ ☞ ☀	6-12"	6-12"	crimson-red, globe-shaped	medium green, glossy	late spring to early summer (May-Jun)
-----------------------	-------	-------	-------	---------------------------	----------------------	---------------------------------------

BERGENIA (Pigsqueak, Saxifraga)

The common name Pigsqueak comes from the sound made by the leaves when quickly rubbed.

cordifolia

cordifolia	○ ☞ ☀	12-18"	12-18"	clusters are rose-pink	shiny rounded leaves, attractive even when not in bloom, turns reddish in fall and winter	early to late spring (Apr-May)
'Winter Glow'	○ ☞ ☀	12-18"	12-18"	rose-red, nodding	shiny rounded leaves, attractive even when not in bloom, turns reddish-bronze in fall and winter	early to late spring (Apr-May)

BRUNNERA (Alkanet, Siberian Bugloss)

Prefers moist soil. Expect some burnt leaf edges during the latter part of the season if planted in sun.

macrophylla

NEW 'Alexander's Great' PPAF	☞ ☀	18-24"	24-30"	clusters are baby-blue	large leaves, bright silver with marbled green veining	late spring to early summer (May-Jun)
'Jack Frost' PP13859 <i>2012 PPA Perennial of the Year, excellent contrast plant, great for brightening up shady areas</i>	☞ ☀	12-18"	18-24"	clusters are baby-blue	bright silver with marbled green veining	late spring to early summer (May-Jun)
macrophylla	○ ☞ ☀	12-18"	24-30"	clusters are baby-blue	deep green, somewhat spreading	late spring to early summer (May-Jun)

BUDDLEIA (Butterfly Bush)

Hard to beat for their butterfly and hummingbird attraction. A slight pruning in early summer will usually keep plants shorter and more compact. In the fall, try to prune no more than 2/3 of the foliage back otherwise overwintering may be a problem.

davidii

'Royal Red'	○ ☞	60" or more	60" or more	spikes are bright purple-red	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
'White Profusion'	○ ☞	60" or more	60" or more	spikes are white	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)

Hybrid (Buzz Series) : A newer series with a tidy compact habit and long-blooming qualities, perfect for creating a buzz in any container!

'Sky Blue'	○ ☞	36-42"	36-42"	fragrant, spikes are light blue	compact, woody, medium green	early summer to early fall (Jun-Sep)
------------	-----	--------	--------	---------------------------------	------------------------------	--------------------------------------

Hybrid (Lo & Behold Series) : The original series bred for a more compact and manageable habit, with continuous blooming throughout the season.

NEW 'Blue Chip JR' PPAF <i>slightly more compact than 'Blue Chip'</i>	○ ☞	18-24"	18-24"	fragrant, spikes are blue-purple	compact, woody, medium green	early summer to early fall (Jun-Sep)
'Blue Chip' PP19991	○ ☞	24-30"	24-30"	fragrant, spikes are blue-purple	compact, woody, medium green	early summer to early fall (Jun-Sep)
NEW 'Pink Micro Chip' PPAF	○ ☞	18-24"	18-24"	fragrant, spikes are hot pink	compact, woody, medium green	early summer to early fall (Jun-Sep)
'Purple Haze' PPAF	○ ☞	24-30"	24-30"	fragrant, spikes are rich purple	compact, woody, medium green, arching branches	early summer to early fall (Jun-Sep)

x weyeriana

'Golden Glow'	○ ☞	60" or more	60" or more	clusters are creamy yellow with a hint of orange-gold	woody, bush-like, medium green	mid summer to early fall (Jul-Sep)
---------------	-----	-------------	-------------	---	--------------------------------	------------------------------------

CALTHA (Marsh Marigold)

Prefers moist soil conditions.

palustris

palustris	○ ☞	12-18"	18-24"	sunny yellow	deep green, glossy	early to late spring (Apr-May)
------------------	-----	--------	--------	--------------	--------------------	--------------------------------

CAMPANULA (Bellflower, Harebell)

Most varieties can be repeatedly trimmed back to force continued growth and new blooms.

carpatica (Carpathian Bellflower)

'Deep Blue Clips' <i>a must-have for any garden</i>	○ ☞	6-12"	6-12"	star-shaped, deep violet-blue	medium green, crinkled leaves	early summer to early fall (Jun-Sep)
'White Clips'	○ ☞	6-12"	6-12"	star-shaped, pure white	medium green, crinkled leaves	early summer to early fall (Jun-Sep)

garganica

'Dickson's Gold'	○ ☞	6" or less	6-12"	lavender-blue, star-shaped	crisp, compact, bright gold, lime-green if given more shade	early to mid summer (Jun-Jul)
------------------	-----	------------	-------	----------------------------	---	-------------------------------

glomerata (Clustered Bellflower)

'Superba'	○ ☞	12-18"	24-30"	clusters are violet to purple	slightly hairy, medium green	late spring to early summer (May-Jun)
-----------	-----	--------	--------	-------------------------------	------------------------------	---------------------------------------

persicifolia (Peach-Leaved Bellflower)

'Blue'	○ ☞	12-18"	6-12"	bell-shaped, clusters are clear blue	medium to deep green	early to mid summer (Jun-Jul)
'Takion Blue' <i>an improved blue variety</i>	○ ☞	12-18"	6-12"	bell-shaped, clusters are lavender-blue, upward-facing	deep green, compact	early to mid summer (Jun-Jul)
'Takion White' <i>an improved white variety</i>	○ ☞	12-18"	6-12"	bell-shaped, clusters are true white, upward-facing	deep green, compact	early to mid summer (Jun-Jul)

CAMPISIS (Trumpet Creeper)

Campsis will need 3-5 years before it will begin to flower. It is worth the wait, but patience is essential. Butterflies and hummingbirds love them too!

radicans

'Flava'	○ ☞	60" or more	60" or more	trumpet-shaped, bright yellow	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
'Minnesota Red'	○ ☞	60" or more	60" or more	trumpet-shaped, velvety red	woody, climbing, deep green	mid summer to early fall (Jul-Sep)
radicans	○ ☞	60" or more	60" or more	trumpet-shaped, scarlet to orange	woody, climbing, deep green	mid summer to early fall (Jul-Sep)

CENTAUREA (Cornflower, Knapweed, Bachelor Button)

Any undesirable foliage that may follow blooming can be pruned back for new growth and repeat blooms.

macrocephala (Giant Knapweed)

macrocephala <i>great for cutting or drying</i>	○ ☞	30-36"	36-42"	heads are bright yellow, pincushion-like	vigorous, medium green	mid to late summer (Jul-Aug)
---	-----	--------	--------	--	------------------------	------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
<i>montana</i>						
NEW	'Amethyst Dream'	○ ☞	18-24"	18-24"	starburst-shaped, fuchsia-purple	gray-green early to mid summer (Jun-Jul)
CENTRANTHUS (Jupiter's Beard, Valerian)						
<i>Prune back after blooming to promote new growth and repeat flowers.</i>						
<i>ruber</i>						
	'Coccineus'	○ ☞	18-24"	24-30"	clusters are crimson-red	glossy, light green early to late summer (Jun-Aug)
CERASTIUM (Snow in Summer)						
<i>Cerastium will spread rapidly, but is controlled easily by simply ripping back unwanted growth.</i>						
<i>tomentosum</i>						
	'Yo-Yo'	○ ☞	6" or less	36-42"	bright white	silver-gray, spreading, attractive even when not in bloom late spring to mid summer (May-Jul)
CHELONE (Turtlehead)						
<i>Common name comes from the individual flower's resemblance of a turtle with its mouth open.</i>						
<i>lyonii</i>						
	'Hot Lips'	○ ☞ ☀	30-36"	36-42"	rose-pink	deep green, glossy late summer to early fall (Aug-Sep)
CHRYSANTHEMUM (formerly Dendranthema, Garden Mum, Hardy Mum)						
<i>Mums benefit from winter protection and mulching. They can also be pinched during the summer to promote a more bushy habit.</i>						
<i>Hybrid</i>						
	'Autumn Glory Mix'	○ ☞	24-30"	24-30"	mixed (one color per plant) bronze, pink, purple, red, white, or yellow	hardy, gray-green, mounding late summer to early fall (Aug-Sep)
	'Matchsticks'	○ ☞	18-24"	36-42"	daisy-like, spoon-shaped golden-yellow petals tipped in red	hardy, gray-green, mounding late summer to late fall (Aug-Oct)
<i>petals resemble a matchstick due to its red tip</i>						
CIMICIFUGA (Black Cohosh, Black Snakeroot, Bugbane)						
<i>Cimicifuga is reported to repel insects, hence the name Bugbane. It benefits from moist, well-drained soil.</i>						
<i>ramosa</i>						
	'Chocoholic' PPAF	☞ ☀	30-36"	24-30"	fragrant, mauve-pink maturing to white	compact, purplish-black mid to late summer (Jul-Aug)
CLEMATIS						
<i>See the CLEMATIS PRUNING GROUPS and GUIDELINES section for additional info.</i>						
<i>Hybrid</i>						
	'Bee's Jubilee' 2	○ ☞	60" or more	30-36"	pale pink with carmine-pink bar	deep green, climbing late spring to early summer (May-Jun)
	'Bourbon' 2	○ ☞	48-54"	24-30"	large, bright rose-red with pink highlights	compact, deep green, climbing early to late summer (Jun-Aug)
<i>compact grower, ideal for containers</i>						
NEW	'Candy Stripe' 2	○ ☞	60" or more	30-36"	lavender with deep pink center stripes	deep green, climbing late spring to mid summer (May-Jul)
<i>repeats bloom in early fall</i>						
	'Chantilly' 2	○ ☞	48-54"	30-36"	white blushed with pink	deep green, climbing late spring to mid summer (May-Jul)
<i>compact grower, ideal for containers</i>						
	'Comtesse de Bouchaud' 3	○ ☞	60" or more	30-36"	large, rose-pink	deep green, climbing early to late summer (Jun-Aug)
NEW	'Diamantina' ('Evip039') 2	○ ☞	60" or more	30-36"	double, deep purple	deep green, climbing late spring to mid summer (May-Jul)
<i>repeats bloom in early fall</i>						
	'Dr. Ruppel' 2	○ ☞	60" or more	30-36"	orchid-pink with reddish center bar, ruffled	deep green, climbing late spring to early summer (May-Jun)
<i>repeats bloom in early fall</i>						
	'Duchess of Edinburgh' 2	○ ☞	60" or more	30-36"	double, white with yellow center	deep green, climbing late spring to early summer (May-Jun)
<i>repeats bloom in early fall</i>						
	'Ernest Markham' 3	○ ☞	60" or more	30-36"	magenta-red with gold anthers	deep green, climbing early to mid summer (Jun-Jul)
<i>considered one of the best red varieties</i>						
	'Fleuri' ('Evip042') 2	○ ☞	48-54"	30-36"	deep purple with hints of fuchsia-red	compact, deep green, climbing early to mid summer (Jun-Jul)
<i>compact grower, ideal for containers</i>						
	'Florida Sieboldii' 3	○ ☞	60" or more	30-36"	semi-double, cream-white with purple anthers	deep green, climbing early to late summer (Jun-Aug)
	'General Sikorski' 2	○ ☞	60" or more	30-36"	large, deep lavender-blue	deep green, climbing early to late summer (Jun-Aug)
	'Guernsey Cream' 2	○ ☞	60" or more	30-36"	large, cream-white, blushed with light yellow center bars	deep green, climbing early to late summer (Jun-Aug)
	'Hagley Hybrids' 3	○ ☞	60" or more	30-36"	large, light pink, ruffled	deep green, climbing early to late summer (Jun-Aug)
<i>repeats bloom in early fall</i>						
	'Henryi' 2	○ ☞	60" or more	30-36"	large, white with brown anthers	deep green, climbing early to mid summer (Jun-Jul)
<i>repeats bloom in early fall</i>						
	'HF Young' 2	○ ☞	60" or more	30-36"	large, sky blue with lighter bars, white center	deep green, climbing early to mid summer (Jun-Jul)
	'Hyde Hall' ('Evip009') 2	○ ☞	48-54"	24-30"	large, white	compact, deep green, climbing late spring to early summer (May-Jun)
<i>repeats bloom in late summer, ideal for containers</i>						
	'Jackmanii' 3	○ ☞	60" or more	30-36"	rich purple, creamy-yellow center	deep green, climbing early to late summer (Jun-Aug)
<i>the most popular Clematis</i>						
	'Josephine' 2	○ ☞	60" or more	30-36"	double, lilac-pink with light pink center petals	deep green, climbing early to late summer (Jun-Aug)
	'Kilian Donahue' 2	○ ☞	60" or more	30-36"	fuchsia, then mature to lavender with pink bar	deep green, climbing late spring to early summer (May-Jun)
<i>repeats bloom in late summer and early fall</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Malaya Garnet' 2 <i>repeats bloom in fall</i>	○ ☞	60" or more	30-36"	pale pink, bright crimson center bar	deep green, climbing	late spring to early summer (May-Jun)
'Mrs. N. Thompson' 2	○ ☞	60" or more	30-36"	violet-purple with bright red bar	deep green, climbing	late spring to mid summer (May-Jul)
'Nelly Moser' 2 <i>repeats bloom in early fall</i>	○ ☞	60" or more	30-36"	pale pink with deep rose-red center bar	deep green, climbing	early to mid summer (Jun-Jul)
'Ramona' 3	○ ☞	60" or more	30-36"	large, light lavender-blue	deep green, climbing	early to late summer (Jun-Aug)
'Sunset' 2	○ ☞	60" or more	30-36"	purplish-red with magenta-pink bar, creamy-yellow center	deep green, climbing	early to late summer (Jun-Aug)
'The President' 2 <i>a nice alternative to 'Jackmanii'</i>	○ ☞	60" or more	30-36"	large, deep purple with purple anthers	deep green, climbing	early summer to early fall (Jun-Sep)
'Will Goodwin' 2	○ ☞	60" or more	30-36"	overlapping, true blue	deep green, climbing	early to late summer (Jun-Aug)
Kivistik Hybrids : Newer introduction from breeders Aili and the late Uno Kivistik. Features a more compact habit, flowers on current year's growth, and has long-blooming properties.						
'Piilu/Little Duckling' PPAF 2 <i>repeats with single blooms in early fall</i>	○ ☞	60" or more	30-36"	double, purple and pink blend	deep green, climbing	late spring to mid summer (May-Jul)
terniflora (Sweet Autumn Clematis)						
NEW 'Sweet Summer Love' PPAF 4	○ ☞	60" or more	48-54"	cranberry and violet shades, fragrant	deep green, vigorous, climbing, spreading	late summer to early fall (Aug-Sep)
terniflora (paniculata) 4	○ ☞	60" or more	48-54"	creamy white, fragrant	deep green, vigorous, climbing, spreading	early to late fall (Sep-Oct)

CLEMATIS PRUNING GROUPS and GUIDELINES

Pruning a Clematis is usually not necessary, but at times is beneficial for shaping and better flowering. Follow these guidelines to help you know when and how to prune based on the corresponding number for each variety. These are guidelines only, call/em

Group 1 : Early Flowering (blooms mostly in spring on previous season's growth, usually no pruning necessary but may prune back soon after flowering)

generally do not need pruning but can be kept in check if needed; prune within one month after blooming, prune back 1-2' for overall appearance

Group 2 : Mid-Season Flowering (blooms mostly in early summer on previous season's growth, repeats bloom in summer on current season's growth, prune in late winter or early spring back to previous year's wood/growth)

prune in late winter or early spring; remove dead or weak shoots and prune remaining shoots back about 1-2' for overall appearance

Group 3 : Late-Season Flowering (blooms mostly in mid-late summer on current season's growth, repeats bloom in fall, prune 1/3 of the stems each year back to previous year's wood/growth)

prune in late winter or early spring; prune about 1/3 of shoots back about 1-2' each season for overall appearance

Group 4 : Small-Flowering (varieties that produce small flowers, usually no pruning necessary but may prune to shape at any time of year)

generally do not need pruning; can be pruned back after blooming if overgrown for the area in which they are located

COREOPSIS (Tickseed)

Keep Coreopsis pruned back after flowering to promote new growth and repeat blooming.

grandiflora / lanceolata

'Early Sunrise'	○ ☞	18-24"	18-24"	double golden-yellow	medium green	late spring to late summer (May-Aug)
'Presto'	○ ☞	6-12"	6-12"	semi-double, bright golden-yellow	medium green, compact	early summer to early fall (Jun-Sep)
'Sunfire'	○ ☞	18-24"	18-24"	bright golden-yellow with a burgundy eye	medium green	early summer to early fall (Jun-Sep)

Hybrid

'Cosmic Evolution' PP22943 <i>part of the Big Bang series</i>	○ ☞	18-24"	12-18"	cream-white, magenta-pink in cooler temps	deep green	early to late summer (Jun-Aug)
'Cosmic Eye' PP22601 <i>part of the Big Bang series</i>	○ ☞	12-18"	12-18"	sunny yellow with burgundy-red centers	deep green	early to late summer (Jun-Aug)
'Mercury Rising' PPAF <i>part of the Big Bang series</i>	○ ☞	18-24"	24-36"	deep wine-red, gold center	deep green	early to late summer (Jun-Aug)
NEW 'Red Satin' PPAF <i>part of the Permathread series</i>	○ ☞	12-18"	12-18"	ruby-red, orange-gold center	deep green, compact	early to late summer (Jun-Aug)

verticillata

'Moonbeam' <i>1992 PPA Perennial of the Year</i>	○ ☞	12-18"	24-30"	light lemon-yellow	ferry, medium green	early to late summer (Jun-Aug)
---	-----	--------	--------	--------------------	---------------------	--------------------------------

CORYDALIS

Corydalis requires a well-drained but moist soil, and does best in at least some shade. Avoid heavy or clay-like soil. May go dormant during heat and summer months.

lutea

lutea	○ ☞ ☝	12-18"	12-18"	clusters are yellow	ferry, medium green to gray-green	late spring to mid summer (May-Jul)
-------	-------	--------	--------	---------------------	-----------------------------------	-------------------------------------

CROCOSMIA (Crocoshmia, Montbretia)

Crocoshmia makes a great cut flower, and also attracts butterflies and hummingbirds.

Hybrid

'Bright Eyes' PP17165	○ ☞	30-36"	30-36"	yellow-orange with red center	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
'Lucifer' <i>perfect for brilliant red summer color</i>	○ ☞	36-42"	42-48"	bright flame red	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)
'Walberton Yellow'	○ ☞	24-30"	30-36"	yellow tinged with orange	Iris-like, medium to light green, arching stems	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
DELOSPERMA (Hardy Ice Plant)						
<i>Delosperma is a perfect choice for poor or dry soil conditions. Benefits from some winter protection/mulching.</i>						
congestum						
congestum	☉ ☞	6" or less	30-36"	starburst-shaped, bright yellow	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
cooperi						
cooperi	☉ ☞	6" or less	36-42"	starburst-shaped, fuchsia-purple	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
<i>one of our top performers in our display gardens, does well in poor soil</i>						
dyeri						
'Psold' PPAF ('Red Mountain')	☉ ☞	6" or less	24-30"	starburst-shaped, pinkish-red with cream centers	succulent, spreading, medium to light green	late spring to early fall (May-Sep)
DELPHINIUM (Larkspur)						
<i>Some taller varieties might need staking, but keeping plants trimmed back after blooming will help to keep them sturdy and robust. Most varieties benefit from winter protection/mulching.</i>						
grandiflorum						
'Summer Morning'	☉ ☞	6-12"	6-12"	light pink	compact, lacy, light green	early to late summer (Jun-Aug)
'Summer Nights'	☉ ☞	12-18"	12-18"	clear blue to midnight-blue	lacy, light green	early to late summer (Jun-Aug)
x elatum (Fountains Series)						
'Dark Blue/Dark Bee'	☉ ☞	30-36"	18-24"	spikes are deep violet-blue, violet-blue center/bee	medium green	early to mid summer (Jun-Jul)
x elatum (Guardian Series)						
'Guardian Blue'	☉ ☞	30-36"	18-24"	spikes are bright to deep blue	medium to light green	late spring to early summer (May-Jun)
x elatum (New Millenium Hybrids)						
NEW 'Cobalt Dreams'	☉ ☞	48-54"	30-36"	spikes are deep cobalt-blue, white center/bee	medium to light green	early to mid summer (Jun-Jul)
<i>an improved version of 'Royal Aspirations'</i>						
NEW 'Dwarf Stars'	☉ ☞	24-30"	24-30"	spikes are mixed (one color per plant) blue, mauve, pink, or purple	medium to light green	early to mid summer (Jun-Jul)
<i>the quality look of tall Delphinium in a shorter package</i>						
'Moonlight Blues'	☉ ☞	30-36"	24-30"	spikes are sky blue, dark bees	medium to light green	early to mid summer (Jun-Jul)
'Pagan Purples'	☉ ☞	54-60"	30-36"	spikes are bluish-purple, with white or brown center/bee	medium to light green	early to mid summer (Jun-Jul)
'Pink Punch'	☉ ☞	54-60"	30-36"	spikes are mulberry-pink	medium to light green	early to mid summer (Jun-Jul)
<i>one of the darkest pink Delphinium varieties</i>						
'Purple Passion'	☉ ☞	48-54"	30-36"	spikes are purple, white center/bee	medium to light green	early to mid summer (Jun-Jul)
DIANTHUS (Pinks)						
<i>Like many plants, Dianthus can be cut back after blooming to force new blooms and healthier growth. Many varieties will repeat bloom again in fall.</i>						
barbatus (Sweet William) : Biennial type. The barbatus species of Dianthus benefit from winter protection.						
'Heart Attack'	☉ ☞	18-24"	18-24"	large, clusters are bright crimson-red	deep green tinged with burgundy-red	late spring to mid summer (May-Jul)
caryophyllus (Oscar Series, Pot Carnation)						
NEW 'Cherry Velvet'	☉ ☞	6-12"	6-12"	double, deep rose-red, maroon throat, fragrant	blue-green, compact	late spring to mid summer (May-Jul)
caryophyllus (SuperTroupier Series, Pot Carnation)						
NEW 'Butterfly Dark Red'	☉ ☞	6-12"	6-12"	double, deep rose-red with burgundy splotches, fragrant	gray-green, compact	late spring to mid summer (May-Jul)
'Velvet Red'	☉ ☞	6-12"	6-12"	double, rose-red, fragrant	gray-green, compact	late spring to mid summer (May-Jul)
chinensis (China Pinks, Rainbow Pinks) : Cut back to force repeat blooms. D. chinensis benefit from winter protection.						
NEW 'Diana Picotee'	☉ ☞	6-12"	6-12"	lavender-pink, deep purple-pink center	medium green	late spring to late summer (May-Aug)
deltoides (Maiden Pinks)						
'Zing Rose'	☉ ☞	6" or less	12-18"	deep rose-red	deep green, maturing to reddish in fall, spreading	early to mid summer (Jun-Jul)
Hybrid						
'Fire and Ice' PPAF	☉ ☞	6-12"	6-12"	fragrant, raspberry with pink blotches and white edges	compact, gray-green	late spring to mid summer (May-Jul)
'Frosty Fire'	☉ ☞	6-12"	6-12"	red	blue-green, compact	late spring to early summer (May-Jun)
'Ruby Sparkles'	☉ ☞	6-12"	6-12"	fragrant, magenta-red with deep ruby-red center	compact, gray-green	late spring to mid summer (May-Jul)
'Very Cherry' PPAF	☉ ☞	6-12"	6-12"	black-red petals maturing to bright red, deep burgundy-red eye	compact, silver-blue to green	late spring to mid summer (May-Jul)
Hybrid (Fruit Punch Series)						
'Sangria Splash' PP21781	☉ ☞	6-12"	6-12"	fragrant, fuchsia-purple petals edged and flecked in light pink	gray-green, compact	late spring to mid summer (May-Jul)
DICENTRA (Bleeding Heart)						
<i>Needs a well-drained but moist soil. It is normal for the spectabilis species to go dormant after blooming.</i>						
Hybrid						
'Burning Hearts' PP20797	☉ ☞ ☞	6-12"	12-18"	heart-shaped, deep valentine-red with thick cream-white lower edge, nodding	medium to gray-green, ferny, compact	early summer to early fall (Jun-Sep)
'King of Hearts'	☉ ☞ ☞	6-12"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Luxuriant'	○ ☞ ☛	12-18"	12-18"	heart-shaped, cherry-red, nodding	medium green, ferny, compact	early summer to early fall (Jun-Sep)
<i>will keep blooming if given enough moisture throughout the summer</i>						
spectabilis (Old-fashioned Bleeding Heart)						
'Alba'	○ ☞ ☛	30-36"	36-42"	heart-shaped, white, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
'Gold Heart'	☞ ☛	18-24"	24-30"	heart-shaped, rose-pink with white tips, nodding	golden-yellow, arching peach stems	late spring to early summer (May-Jun)
<i>foliage color is best in sunny locations, turns greenish in shadier locations</i>						
spectabilis	○ ☞ ☛	30-36"	36-42"	heart-shaped, rose-pink with white tips, nodding	medium to light green, arching stems	late spring to early summer (May-Jun)
'Valentine' PP22739	☞ ☛	24-30"	24-30"	heart-shaped, true red with white tips, nodding	golden-yellow, arching reddish stems	late spring to early summer (May-Jun)
<i>more red than any other D. spectabilis varieties</i>						
DICTAMNUS (Fire Bush, Gas Plant)						
<i>Dictamnus gets its common name from an oil that "weeps" from the foliage and seed pods in hot and dry weather. The oil is known to ignite, and not harm the plant. Don't try this at home!</i>						
albus						
albus	○ ☞	30-36"	30-36"	light pink	medium green	late spring to mid summer (May-Jul)
DIGITALIS (Finger Flower, Foxglove)						
<i>Digitalis in Latin means finger of a glove, referring to the shape of the flower.</i>						
Hybrid						
NEW 'Dalmatian Peach'	○ ☞	30-36"	24-30"	spikes are peach-pink maturing to light pink, orange speckles	medium to deep green	early to mid summer (Jun-Jul)
'Dalmatian Purple'	○ ☞	30-36"	24-30"	spikes are deep lavender-pink with spotted maroon throat	medium to deep green	early to mid summer (Jun-Jul)
NEW 'Polkadot Polly'	○ ☞	30-36"	24-30"	spikes are pink to apricot	medium to deep green	early to late summer (Jun-Aug)
<i>purpurea : Biennial type. The purpurea species of Digitalis benefits from winter protection/mulching.</i>						
'Camelot Mix'	○ ☞	42-48"	24-30"	spikes are splotched with burgundy-purple and mixed (one color per plant) shades of lavender, pink, or white	large leaves, medium green	early to mid summer (Jun-Jul)
'Candy Mountain'	○ ☞	42-48"	24-30"	upright-facing, spikes are rose-pink with splotches of white	large leaves, medium green	early to mid summer (Jun-Jul)
'Giant Shirley'	○ ☞	42-48"	24-30"	spikes are mixed (one color per plant) lavender, pink, rose, and white	large leaves, medium green	early to mid summer (Jun-Jul)
NEW 'Sugar Plum'	○ ☞	42-48"	24-30"	spikes are pink, deep purple speckling and throat	large leaves, medium green	early to mid summer (Jun-Jul)
x mertonensis						
mertonensis ('Summer King')	○ ☞	24-30"	24-30"	spikes are dusty-rose to pink	large leaves, deep green	early to mid summer (Jun-Jul)
ECHINACEA (Coneflower)						
<i>Truly one of the easiest perennials to grow, and worthwhile in any garden. Prune foliage back after blooming to promote new growth and repeat blooms. Echinacea comes from the Greek word "echinos" which means "hedgehog", referring to its spiny center cone.</i>						
Hybrid						
NEW 'Aloha' PP23525	○ ☞	24-30"	18-24"	daisy-like, fragrant, yellow, orange center cone	medium green	early to late summer (Jun-Aug)
<i>part of the 'Prairie Pillars' series</i>						
NEW 'Cheyenne Spirit'	○ ☞	24-30"	18-24"	daisy-like, mixed shades of orange, peach, red, white, or yellow, brown center cone	medium green	early to late summer (Jun-Aug)
'Chiquita' PPAF	○ ☞	6-12"	6-12"	large, daisy-like, banana-yellow, green and orange center cone	deep green	early summer to early fall (Jun-Sep)
<i>part of the 'Prairie Pixie' series</i>						
'Cleopatra' PPAF	○ ☞	12-18"	12-18"	large, fragrant, golden-yellow maturing to cream-yellow, orange center cone	deep green	mid to late summer (Jul-Aug)
'Colorburst Orange' PPAF	○ ☞	24-30"	24-30"	large, double, bright orange, lime green and orange center	deep green	mid summer to early fall (Jul-Sep)
<i>part of the 'Colorburst' series</i>						
'Flame Thrower' PP21932	○ ☞	30-36"	24-30"	daisy-like, bi-color red-orange and gold, copper-orange center cone	medium green	early to late summer (Jun-Aug)
'Hot Papaya' PP21022	○ ☞	24-30"	24-30"	double, daisy-like, red-orange, papaya-orange center tinge	deep green, some purplish stems	early to late summer (Jun-Aug)
NEW 'Hot Summer' PP20687	○ ☞	24-30"	24-30"	daisy-like, orange-red maturing to deeper red, bronze center cone	deep green	early to late summer (Jun-Aug)
'Julia' PPAF	○ ☞	12-18"	12-18"	daisy-like, large, tangerine-orange, copper center cone	compact, medium green	mid to late summer (Jul-Aug)
'Passion Flute' PPAF	○ ☞	30-36"	24-30"	unique quilled petals, fragrant, light yellow, orange center cone	medium green	early to late summer (Jun-Aug)
<i>part of the 'Let's Boogie' series</i>						
NEW 'Purple Emperor' PPAF	○ ☞	12-18"	12-18"	daisy-like, magenta-purple, deep orange center cone	deep green, compact	early to late summer (Jun-Aug)
'Raspberry Truffle' PP22612	○ ☞	24-30"	18-24"	double, daisy-like, coral-pink to peach, chocolate-brown center cone	deep green, darker stems	early to late summer (Jun-Aug)
<i>part of the 'Cone-factions' series</i>						
NEW 'Secret Affair' PPAF	○ ☞	18-24"	18-24"	double, daisy-like, deep fuchsia-pink	medium green	mid to late summer (Jul-Aug)
'Solar Flare' PP22133	○ ☞	30-36"	24-30"	large, daisy-like, fragrant, deep magenta-red, dark brown center cone	medium green, dark stems	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Tiki Torch' PP18839 <i>the deepest longest-lasting orange coneflower to date</i>	○ ☞	30-36"	24-30"	deep orange, bronze-brown center cone	medium green	early to late summer (Jun-Aug)
'Tomato Soup' PP19427	○ ☞	24-30"	24-30"	large, daisy-like, tomato-red	medium green	early to late summer (Jun-Aug)
purpurea						
'Butterfly Kisses' PPAF	○ ☞	18-24"	18-24"	large, double, deep mauve-pink center, lavender-pink petals	deep green	mid to late summer (Jul-Aug)
'Green Envy' PPAF	○ ☞	30-36"	24-30"	pale green maturing to chartreuse with a magenta blush, green center cone maturing to purple	medium green	early to late summer (Jun-Aug)
'Green Jewel' PP18678	○ ☞	24-30"	24-30"	fragrant, light green petals, green center cone	medium green	mid to late summer (Jul-Aug)
'Magnus' <i>still a reliable favorite, 1998 PPA Perennial of the Year</i>	○ ☞	30-36"	30-36"	rose-pink fading to light pink	medium green	early to late summer (Jun-Aug)
'Pow Wow White'	○ ☞	18-24"	12-18"	daisy-like, white, bronze-orange center cone	medium green, compact	early to late summer (Jun-Aug)
'Pow Wow Wildberry'	○ ☞	18-24"	12-18"	daisy-like, deep pink to magenta-pink, bronze-orange center cone	medium green, compact	early to late summer (Jun-Aug)
'Red Knee High' PP20411	○ ☞	18-24"	24-30"	drooping petals, magenta-red, bronze-orange center cone	compact, medium green	mid to late summer (Jul-Aug)
NEW 'Sombrero Hot Coral' PP23097	○ ☞	12-18"	12-18"	drooping petals, bright coral-pink, bronze-orange center cone	compact, medium green	mid to late summer (Jul-Aug)
'Sombrero Salsa Red' PPAF	○ ☞	12-18"	12-18"	drooping petals, rich red, bronze-red center cone	compact, medium green	mid to late summer (Jul-Aug)
'Virgin' PP18684	○ ☞	18-24"	18-24"	fragrant, white, green center cone	deep green	mid summer to early fall (Jul-Sep)

EPIMEDIUM (Barrenwort)

Epimedium is slow to establish itself, but makes a nice clumping or groundcover plant at maturity.

x rubrum						
x rubrum	☞ ☞	6-12"	12-18"	fuchsia-pink to rose-red	medium green, turns reddish in fall	late spring to early summer (May-Jun)
x versicolor (Bicolor Barrenwort)						
'Sulphureum'	☞ ☞	6-12"	12-18"	yellow	medium green, turns reddish in fall	early to late spring (Apr-May)

ERYNGIUM (Sea Holly, Snakeroot)

planum						
'Blue Glitter'	○ ☞	30-36"	24-30"	heads are spiny and steel-blue	metallic blue-gray	mid to late summer (Jul-Aug)
zebelii						
NEW 'Big Blue' PP20636 <i>great for cutting or dried arrangements</i>	○ ☞	30-36"	24-30"	heads are spiny and bright steel-blue	metallic silver-green	early to late summer (Jun-Aug)

FALLOPIA (Fleece Flower)

aubertii (Silver Lace Vine)						
aubertii <i>puts on a spectacular fall display</i>	○ ☞	60" or more	60" or more	sprays are cream-white, fragrant	climbing, medium green, vigorous	mid summer to early fall (Jul-Sep)

FERN ADIANTUM

pedatum (Maidenhair Fern)						
pedatum	☞ ☞	18-24"	24-30"		soft, medium to light green, turning gold in fall	
venustum						
var. himalayense	☞ ☞	6-12"	12-18"		lacy, medium to light green, black stems	

FERN ATHYRIUM

felix-femina (Dwarf Lady Fern)						
'Minutissima'	☞ ☞	12-18"	12-18"		medium green, compact	
felix-femina (Ghost Lady Fern)						
'Ghost'	☞ ☞	24-30"	24-30"		neat and tidy, silver-gray, upright	
felix-femina (Lady Fern)						
felix-femina <i>tolerates dryer soils</i>	☞ ☞	18-24"	24-30"		medium green	
felix-forma (Lady Fern)						
'Lady in Red'	☞ ☞	24-30"	30-36"		burgundy-red stems, medium green leaves, lacy	
Hybrid						
'Branford Beauty'	☞ ☞	18-24"	24-30"		silver-green, upright	
nipponicum (Japanese Painted Fern)						
'Pictum' <i>2004 PPA Perennial of the Year</i>	☞ ☞	12-18"	12-18"		burgundy stems, silver-green fronds with burgundy tints	
otophorum (English Painted Fern)						
otophorum <i>durable, drought tolerant</i>	☞ ☞	12-18"	18-24"		burgundy stems, frosted gray-green fronds	

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
FERN DRYOPTERIS						
<i>affinis (Golden Scaled Male Fern)</i>						
affinis	☞ ☀	30-36"	30-36"		leathery, deep green	
'Stableri'	☞ ☀	24-30"	24-30"		medium to deep green, leathery	
<i>crassirhizoma (Thick-stemmed Wood Fern)</i>						
crassirhizoma	☞ ☀	30-36"	36-42"		medium green, upright, sturdy	
<i>erythrosonora (Autumn Fern, Japanese Sword Fern)</i>						
'Brilliance' <i>excellent fall color</i>	○ ☞ ☀	18-24"	24-30"		golden-orange fronds mature to medium green, reddish-orange in fall	
erythrosonora <i>excellent fall color</i>	○ ☞ ☀	18-24"	24-30"		durable, copper fronds mature to medium green, bronze in fall	
<i>filix-mas (Male Fern)</i>						
'Undulata-robusta'	☞ ☀	24-30"	30-36"		sturdy, upright, medium green	
<i>intermedia (Fancy Fern)</i>						
intermedia <i>durable, drought tolerant</i>	○ ☞ ☀	12-18"	18-24"		leathery, medium to deep green	
FERN MATTEUCCIA						
<i>struthiopteris (Ostrich Fern)</i>						
struthiopteris <i>fronds resemble ostrich feathers</i>	☞ ☀	42-48"	42-48"		vase-shaped, large, medium green	
FERN ONOCLEA						
<i>sensibilis (Sensitive Fern, Bead Fern)</i>						
sensibilis	○ ☞ ☀	18-24"	36-42"		deeply lobed, light green, spreading	
FERN OSMUNDA						
<i>claytoniana (Interrupted Fern)</i>						
claytoniana <i>fertile leaflets disappear after dropping spores to leave an "interruption" in the frond</i>	○ ☞ ☀	24-30"	24-30"		medium green	
<i>regalis (Royal Fern)</i>						
regalis <i>prefers a consistently moist area</i>	☞ ☀	36-42"	42-48"		light green with hints of red	
FERN POLYSTICHUM						
<i>acrostichoides (Christmas Fern)</i>						
acrostichoides	☞ ☀	18-24"	24-30"		medium green with silver highlights, leathery	
<i>polyblepharum (Japanese Tassel Fern)</i>						
polyblepharum <i>durable and easy to grow</i>	☞ ☀	18-24"	24-30"		tan stems, deep green leaflets	
<i>retrosopaleaceum (Japanese Sword Fern)</i>						
retrosopaleaceum	☞ ☀	30-36"	24-30"		large broad fronds, bright green leaflets	
FRAGARIA (Alpine Strawberry, Ornamental Strawberry)						
<i>A strong and hardy groundcover, with newer cultivars featuring compact growth habits, edible fruit, and good flowering.</i>						
<i>ananassa</i>						
NEW 'Gasana' <i>everbearing edible sweet fruit, good in containers or in the ground</i>	○ ☞ ☀	6-12"	12-18"	large, pink	medium green, runner-forming	early summer to early fall (Jun-Sep)
NEW 'Tristan' <i>everbearing edible sweet fruit, perfect for containers</i>	○ ☞ ☀	6-12"	6-12"	large, hot magenta-pink	medium green, few runners	early summer to early fall (Jun-Sep)
FRUIT : Many varieties of potted fruit plants are available, including varieties of blackberry, blueberry, elderberry, grape, raspberry, strawberry, and more. Please call or email us for availability.						
GAILLARDIA (Blanket Flower)						
<i>Prune foliage after blooming to promote new growth and repeat blooms. Heat tolerant. Try not to plant in heavy clay soil.</i>						
<i>aristata</i>						
'Arizona Red Shades'	○ ☞	6-12"	12-18"	daisy-like with crimson to rust-red petals tipped in yellow	medium green, heat tolerant, compact	early summer to early fall (Jun-Sep)
'Arizona Sun'	○ ☞	6-12"	12-18"	daisy-like with orange-red petals tipped in yellow	medium green, heat tolerant, compact	early summer to early fall (Jun-Sep)
'Fancy Wheeler' PP22016	○ ☞	6-12"	12-18"	scarlet-red with gold tips, burgundy-red center cone	medium green, heat tolerant, compact	early summer to early fall (Jun-Sep)
'Lucky Wheeler' PP23544	○ ☞	6-12"	12-18"	trumpet-shaped, red with yellow tips	medium green, heat tolerant, compact	early summer to early fall (Jun-Sep)
'Oranges & Lemons' PP17092	○ ☞	24-30"	18-24"	peach-orange with petals tipped in yellow	medium to light gray-green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Hybrid						
	○ ☞	18-24"	18-24"	trumpet-shaped, bright orange-red, deeper orange-red center cone	medium green	early summer to early fall (Jun-Sep)
	'Fanfare Blaze' PP23494					
x grandiflora						
	○ ☞	6-12"	12-18"	daisy-like, scarlet/rust-red with yellow petal tips	medium green	early summer to early fall (Jun-Sep)
	'Goblin'					
	○ ☞	12-18"	12-18"	bright yellow, burgundy-red center and halo	medium green, compact	early to late summer (Jun-Aug)
	'Mesa Bright Bicolor'					
	○ ☞	12-18"	12-18"	bright yellow, peach-orange center and halo	medium green, compact	early to late summer (Jun-Aug)
NEW	'Mesa Peach'					
	○ ☞	12-18"	12-18"	bright yellow	medium green, compact	early to late summer (Jun-Aug)
	'Mesa Yellow'					
GAURA (Wand Flower, Whirling Butterflies)						
<i>Gaura</i> is derived from <i>gauros</i> , which means superb. Flowers resemble small butterflies.						
lindheimeri						
NEW	○ ☞	6-12"	6-12"	deep rose-pink	compact, red stems, medium green	early summer to early fall (Jun-Sep)
	'Gaudi Pink' PPAF					
NEW	○ ☞	6-12"	6-12"	deep rose-red	compact, red stems, medium green	early summer to early fall (Jun-Sep)
	'Gaudi Red' PPAF					
	○ ☞	24-30"	24-30"	light pink	medium green tinged with red	early summer to early fall (Jun-Sep)
	'Pink Fountain' PP15555					
NEW	○ ☞	24-30"	24-30"	white	medium green	early summer to early fall (Jun-Sep)
	'Snow Fountain' PP19376					
GENTIANA (Gentian)						
Keep moist if planted in mostly sunny areas.						
cruciata						
	○ ☞	6-12"	6-12"	bright violet-blue	compact, medium green, mounding	mid summer to early fall (Jul-Sep)
	'Blue Cross'					
GERANIUM (Cranesbill)						
Foliage may be cut back any time to promote a more bushy habit. Common name is from the beaked fruits' resemblance to a Crane's bill.						
Hybrid						
	○ ☞ ☰	18-24"	24-30"	lavender-blue, small white center eye	fragrant, medium to deep green, spreading, turns red-orange in fall	late spring to mid summer (May-Jul)
	'Brookside'					
NEW	○ ☞ ☰	18-24"	18-24"	large, magenta-pink, deep purple veining and eye	fragrant, medium to deep green	late spring to mid summer (May-Jul)
	'Dragon Heart'					
	○ ☞ ☰	18-24"	30-36"	violet-blue with a white eye, large	deep green, mounding, fragrant	early summer to early fall (Jun-Sep)
	'Rozanne' PP12175					
	2008 PPA Perennial of the Year					
GEUM (Avens)						
Planting in moist but well-drained soil will aid in overwintering.						
chiloense						
NEW	○ ☞	18-24"	12-18"	double, deep scarlet-red	light green	early to late summer (Jun-Aug)
	'Red Dragon'					
flora plena						
NEW	○ ☞	18-24"	12-18"	double, bright yellow	fuzzy, light green	late spring to mid summer (May-Jul)
	'Sunrise'					
GRASS CALAMAGROSTIS (Reed Grass)						
acutiflora						
	○ ☞	36-42"	30-36"	plumes are tan, wheat-like	deep green	mid summer to early fall (Jul-Sep)
	'Karl Foerster'					
	2001 PPA Perennial of the Year					
	○ ☞	30-36"	24-30"	plumes are tan, wheat-like	deep green with thin white margins, narrow leaves	mid summer to early fall (Jul-Sep)
	'Overdam'					
GRASS CAREX (Sedge Grass)						
<i>Carex</i> is an ideal choice for semi-shade to shady places where a compact and season-long attractive plant is needed.						
eburnea (Bristleleaf Sedge)						
NEW	☞ ☰	6-12"	18-24"	plumes are whitish, insignificant	bright green, fine narrow leaves	early to late spring (Apr-May)
	'eburnea'					
elata (Gold Sedge)						
	☞ ☰	24-30"	24-30"	plumes are tan, insignificant	bright gold with green margins, narrow leaves	late spring (May)
	'Bowles Golden'					
	taller than many <i>Carex</i> varieties					
hachijoensis (Variegated Japanese Sedge)						
	☞ ☰	6-12"	18-24"	plumes are tan, insignificant	creamy yellow with green margins, mounding, narrow leaves	late spring (May)
	'Evergold'					
oshimensis						
NEW	☞ ☰	12-18"	18-24"	insignificant	variegated, striped bright green and white, evergreen	late spring (May)
	'Everest' PP20955					
siderosticha (Creeping Variegated Broad Leaf Sedge)						
	☞ ☰	6-12"	12-18"	plumes are tan, insignificant	variegated banana-yellow and green, mounding, wide leaves	late spring (May)
	'Banana Boat'					
	tolerant of any soil, great for wet areas					
NEW	☞ ☰	6-12"	12-18"	plumes are tan, insignificant	variegated white and green, mounding, wide leaves	
	'Snow Cap'					
GRASS CORTADERIA (Pampas Grass)						
<i>Cortaderia selloana</i> is the true Pampas Grass species, but the 'Pumila' cultivar is semi-winter hardy for our area (some mulching/protection is beneficial). All other <i>Cortaderia selloana</i> varieties are NOT hardy for our area.						
selloana						
	○ ☞	48-54"	48-54"	plumes are cream-white	medium green, medium wide leaves	early to late fall (Sep-Oct)
	'Pumila'					

GRASS ERIANTHUS (Hardy Pampas Grass, Ravenna Grass)

Not the true Pampas Grass, but much hardier and similar in appearance.

ravennae

ravennae	○ ☞	8-10'	6-7'	plumes are large, silver turning to tan, wheat-like	medium green to gray, wide leaves	early to late fall (Sep-Oct)
-----------------	-----	-------	------	---	-----------------------------------	------------------------------

GRASS FESTUCA (Blue Fescue, Sheeps Fescue)

On Festuca, plumes are usually produced every other season.

glauca

'Elijah Blue'	○ ☞	6-12"	12-18"	plumes are tan, wheat-like	powdery blue, narrow leaves	early to late summer (Jun-Aug)
----------------------	-----	-------	--------	----------------------------	-----------------------------	--------------------------------

GRASS HAKONECHLOA (Forest Grass, Hakone Grass)

Hakone or Forest Grass offers bamboo-like foliage and maintenance-free traits.

macra

'Aureola' <i>2009 PPA Perennial of the Year</i>	○ ☞	12-18"	18-24"	plumes are light tan, insignificant	yellow with green margins, arching appearance, medium wide leaves	mid to late summer (Jul-Aug)
---	-----	--------	--------	-------------------------------------	---	------------------------------

GRASS HELICTOTRICHON (Blue Oat Grass)

sempervirens

sempervirens	○ ☞	18-24"	18-24"	plumes are tan, wheat-like	vase-shaped, gray to green, narrow leaves	mid to late summer (Jul-Aug)
---------------------	-----	--------	--------	----------------------------	---	------------------------------

GRASS IMPERATA (Japanese Blood Grass)

Rarely plumes. Best foliage color will occur in full sun.

cylindrica

'Red Baron'	○ ☞	12-18"	30-36"		medium green with red tips, turns bronze-burgundy in fall	
--------------------	-----	--------	--------	--	---	--

GRASS MISCANTHUS (Eulalia Grass, Maiden Grass)

sinensis

'Adagio' <i>a little more compact than most Miscanthus varieties</i>	○ ☞	42-48"	36-42"	plumes are pink maturing to white	gray-green, narrow leaves	early to late fall (Sep-Oct)
'Dixieland' <i>dwarf version of M. 'Silver Arrow'</i>	○ ☞	42-48"	42-48"	plumes open burgundy maturing to silver-tan	variegated white and green striped, wide leaves	early to late fall (Sep-Oct)
'Gaa' <i>very columnar in form (top is not much wider than base)</i>	○ ☞	5-6'	4-5'	plumes open burgundy maturing to silver-tan, airy	medium green, narrow leaves	late summer to late fall (Aug-Oct)
'Gracillimus' <i>one of the most common ornamental grasses, late to plume if at all</i>	○ ☞	5-6'	4-5'	plumes are silver maturing to tan	deep green, narrow leaves	late fall (Oct)
'Little Kitten'	○ ☞	30-36"	30-36"	plumes are silver maturing to tan	medium green, compact, narrow leaves	early to late fall (Sep-Oct)
'Little Zebra' PP13008	○ ☞	42-48"	42-48"	plumes are pinkish maturing to tan	horizontal markings of yellow against bright green, compact, medium wide leaves	late summer to late fall (Aug-Oct)
'Mega Dot' PPAF	○ ☞	8-9'	6-7'	plumes are silver maturing to tan	large habit, horizontal markings of cream-yellow against bright green, wide leaves	early to late fall (Sep-Oct)
'Morning Light'	○ ☞	48-54"	42-48"	plumes are silver with purplish tint	slight variegation of cream and medium green, narrow leaves	early to late fall (Sep-Oct)
'Mysterious Maiden' PP16197 <i>horizontal banding is unique for a narrow-bladed grass</i>	○ ☞	5-6'	42-48"	plumes are silvery-pink	medium green with horizontal bands of creamy yellow, narrow leaves	late summer to early fall (Aug-Sep)
'Purpurascens' (Flame Grass)	○ ☞	4-5'	4-5'	plumes open magenta then mature to white	medium green turning rust-red in fall, medium wide leaves	late summer to late fall (Aug-Oct)
'Strictus' <i>a little more upright and compact than M. 'Zebrinus'</i>	○ ☞	5-6'	4-5'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, wide leaves	early to late fall (Sep-Oct)
'Variegatus'	○ ☞	6-7'	5-6'	plumes are reddish-silver maturing to tan	white and green striped leaves, wide leaves	early to late fall (Sep-Oct)
'Zebrinus'	○ ☞	6-7'	5-6'	plumes are copper-silver maturing to tan	horizontal markings of yellow against bright green, arching appearance, wide leaves	early to late fall (Sep-Oct)

GRASS PANICUM (Switch Grass)

virgatum

'Northwind' <i>2014 PPA Perennial of the Year</i>	○ ☞	5-6'	4-5'	plumes are tan, airy	blue-green, vase-shaped, medium wide leaves	late summer to late fall (Aug-Oct)
'Rotstrahlbush'	○ ☞	42-48"	36-42"	plumes are tan, airy	gray-green, turns bright red in fall, medium wide leaves	early to late fall (Sep-Oct)
'Shenandoah'	○ ☞	30-36"	30-36"	plumes are pinkish maturing to tan, airy	medium green with red tips, medium wide leaves	late summer to early fall (Aug-Sep)

GRASS PENNISETUM (Fountain Grass)

Long-favored for its maintenance-free traits and attractive appearance even when not in flower.

alopecuroides

'Burgundy Bunny' PP21917	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, tan	medium green with red tints, turns all red in fall, narrow leaves	mid summer to early fall (Jul-Sep)
'Little Bunny'	○ ☞	6-12"	6-12"	fuzzy, bottle-brush-shaped, tan	medium green, compact, narrow leaves	late summer to late fall (Aug-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Moudry'	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, black-brown maturing to tan	deep green, glossy, medium wide leaves	early to late fall (Sep-Oct)
orientale						
'Karley Rose' PP12909	○ ☞	30-36"	30-36"	fuzzy, bottle-brush-shaped, drooping, pink maturing to tan	medium green, compact and mounding, narrow leaves	mid to late summer (Jul-Aug)
setaceum (all P. setaceum varieties listed below ARE NOT WINTER HARDY for our area)						
'Rubrum'	○ ☞	18-24"	18-24"	plumes are pink maturing to tan	burgundy-red, narrow leaves	early summer to late fall (Jun-Oct)
GRASS STIPA (Pheasant Tail Grass, Silver Spike Grass)						
calamagrostis						
NEW calamagrostis <i>aka Achnatherum calamagrostis</i>	○ ☞	24-30"	24-30"	plumes are green maturing to silver-tan	medium green, semi-evergreen, narrow leaves	early to mid summer (Jun-Jul)
HEDERA (English Ivy)						
<i>A popular choice for a maintenance-free groundcover, but also makes a nice accent plant in containers.</i>						
helix						
helix <i>will climb if given support</i>	○ ☞ ☝	6" or less	42-48"		deep green, glossy	
HELIOPSIS (False Sunflower)						
<i>Powdery mildew can be a problem, but usually only after it has bloomed. Trim back to alleviate any problem.</i>						
helianthoides						
'Summer Sun'	○ ☞	54-60"	48-54"	golden-yellow, daisy-like	medium green	mid summer to early fall (Jul-Sep)
'Sunburst' PP10690 <i>a seed variety similar to H. 'Lorraine Sunshine'</i>	○ ☞	24-30"	18-24"	daisy-like, bright yellow	consistent variegation, creamy white with medium green veins	mid summer to early fall (Jul-Sep)
'Tuscan Sun' PP18763 <i>proven winner selection, an improved native cultivar, disease resistant</i>	○ ☞	30-36"	30-36"	daisy-like, golden yellow	deep green, compact	mid to late summer (Jul-Aug)
Hybrid						
'Lorraine Sunshine' PP10690	○ ☞	12-18"	12-18"	daisy-like, bright yellow	consistent variegation, creamy white with medium green veins	mid summer to early fall (Jul-Sep)
HELLEBORUS (Christmas Rose, Hellebore, Lenten Rose)						
<i>Helleborus is one of the earliest perennials to bloom in our area. May go dormant during summer months. 2005 PPA Plant of the Year.</i>						
ballardiae (Gold Collection)						
NEW 'Pink Frost' PP21063	☞ ☝	12-18"	12-18"	nodding, pink maturing to pinkish-red	gray-green	early spring (Apr)
Hybrid						
'Green Gambler'	☞ ☝	18-24"	12-18"	single, apple-green, burgundy spotting and edges	deep green	early to late spring (Apr-May)
'Ivory Prince' PP16199 (*Walhelivor)	☞ ☝	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
NEW 'Optimism' <i>one of the darkest available</i>	☞ ☝	12-18"	12-18"	nodding, deep burgundy-purple	deep green	early to late spring (Apr-May)
NEW 'Winter Thriller'	☞ ☝	18-24"	18-24"	nodding, shades of burgundy, green, rose, or white	deep green	early to late spring (Apr-May)
Hybrid (Lady Series)						
'Blue Lady'	☞ ☝	12-18"	12-18"	nodding, blue-purple blend	deep green	early to late spring (Apr-May)
'Pink Lady'	☞ ☝	12-18"	12-18"	nodding, light pink and rose blend	deep green	early to late spring (Apr-May)
'Red Lady'	☞ ☝	12-18"	12-18"	nodding, deep red with darker center	deep green	early to late spring (Apr-May)
niger						
NEW 'Jacob' PP17799 <i>flowers mature to light pink in warmer temps, light green in cooler temps</i>	☞ ☝	6-12"	12-18"	semi-upright, white, yellow centers	deep green	early spring (Apr)
x hybridus						
hybridus	☞ ☝	12-18"	12-18"	nodding, shades of rose, mauve, and cream	deep green	early to late spring (Apr-May)
HEMEROCALLIS (Daylily)						
<i>Without a doubt the most popular perennial due to its easy maintenance and summertime beauty. Hemerocallis in Greek means beautiful for a day.</i>						
Hybrid						
'Chicago Apache'	○ ☞	24-30"	24-30"	large, ruffled, scarlet red, tetraploid	medium green	early to late summer (Jun-Aug)
'Early Bird Cardinal' ('Endless Heart' PP16515) <i>later to bloom than most daylilies</i>	○ ☞	18-24"	18-24"	watermelon-red, chartreuse throat, repeat bloomer	medium green	late spring to late summer (May-Aug)
'Going Bananas' PP17164 <i>an improved 'Happy Returns' variety with larger flowers and more consistent blooming</i>	○ ☞	18-24"	18-24"	canary-yellow, repeat bloomer	medium green	mid to late summer (Jul-Aug)
'New in Town' <i>exceptional bloom count</i>	○ ☞	30-36"	24-30"	golden-yellow, fragrant, repeat bloomer	medium green	mid to late summer (Jul-Aug)
NEW 'Pink Abundance'	○ ☞	18-24"	18-24"	ruffled, rose-pink, yellow throat, repeat bloomer	medium green	mid to late summer (Jul-Aug)
'Purple de Oro'	○ ☞	18-24"	18-24"	large, reddish-purple	medium green	early to late summer (Jun-Aug)
'Royal Braid'	○ ☞	24-30"	18-24"	fragrant, peach-mauve, purple eye, ruffled purple edges, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'San Ignacio'	○ ☞	24-30"	18-24"	large, ruffled, baby pink, lemon-yellow throat, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Siloam Double Classic'	○ ☞	24-30"	24-30"	ruffled, double, peach-pink, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Spellbinder'	○ ☞	30-36"	30-36"	large, golden-orange, tetraploid, repeat bloomer	medium green	mid to late summer (Jul-Aug)
'Stella de Oro' <i>the most popular daylily, long-blooming</i>	○ ☞	12-18"	12-18"	golden-yellow, repeat bloomer	medium green, compact	late spring to early fall (May-Sep)
'Strawberry Candy'	○ ☞	24-30"	24-30"	ruffled, pink with raspberry-red eye, green throat, repeat bloomer, tetraploid	medium green	late spring to late summer (May-Aug)
Premium Series : These varieties are a cut above the rest, with many superior qualities compared to "normal" daylilies. These qualities include higher bud count, vigorous and healthy performance, richer colors, heavier textures, and highly adaptable.						
'Erin Lea'	○ ☞	18-24"	18-24"	large, ruffled, golden-yellow, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
'Fire King'	○ ☞	24-30"	24-30"	ruffled, red-orange blend, tetraploid	medium green	early to late summer (Jun-Aug)
NEW 'Jazz King'	○ ☞	24-30"	24-30"	fragrant, ruffled, orange-gold, raspberry-red eye, tetraploid, repeat bloomer	medium green	early to late summer (Jun-Aug)
NEW 'Monterrey Jack'	○ ☞	18-24"	18-24"	ruffled, light yellow, raspberry-red eye, tetraploid	medium green	early to late summer (Jun-Aug)
'Red Razzmatazz' <i>more attractive foliage than most varieties</i>	○ ☞	30-36"	30-36"	clear red, yellow throat, ruffled, tetraploid	medium green	early to late summer (Jun-Aug)
'Ruby Spider' <i>proven winner selection</i>	○ ☞	30-36"	30-36"	large, ruby-red, golden-yellow throat and midrib, tetraploid	medium green	early to late summer (Jun-Aug)
'South Seas'	○ ☞	24-30"	24-30"	coral-tangerine, yellow throat, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
'Spiritual Corridor'	○ ☞	24-30"	24-30"	lavender-pink with creamy-yellow eye/edges, repeat bloomer, tetraploid	medium green	early to late summer (Jun-Aug)
'Sunday Gloves'	○ ☞	24-30"	24-30"	ruffled, fragrant, near white with pale yellow eye, repeat bloomer	medium green	early to late summer (Jun-Aug)

HERBS : As always, we carry an expansive variety of herbs, too many to list in this space. Please call or email for availability.

HEUCHERA (Alumroot, Coral Bells)

Few plants offer as much outstanding foliage color and contrast possibilities, and butterflies and hummingbirds can't resist them either! Plant in a well-drained area. Height listed includes flower, foliage usually stays about half as tall.

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Hybrid						
'Cherry Cola' PPAF <i>part of the 'Soda' series</i>	○ ☞ ☀	12-18"	12-18"	clusters are rust-red	ruffled, brown-red to burgundy, burgundy-red undersides	late spring to mid summer (May-Jul)
NEW 'Dolce Blackberry Ice' PPAF <i>proven winner selection</i>	○ ☞ ☀	12-18"	12-18"	clusters are creamy-white	purple with pewter overlay, black veining, pink undersides	late spring to mid summer (May-Jul)
NEW 'Dolce Cinnamon Curfs' PPAF <i>proven winner selection</i>	○ ☞ ☀	6-12"	6-12"	clusters are creamy-white	ruffled, copper-orange and rust-red blend, bright pink undersides, compact	late spring to mid summer (May-Jul)
NEW 'Fire Chief' PP21880	○ ☞ ☀	12-18"	12-18"	clusters are light pink to white	wine-red, red stems, pink undersides	late spring to mid summer (May-Jul)
'Galaxy' PPAF <i>part of the 'Little Cutie' series</i>	○ ☞ ☀	12-18"	12-18"	clusters are white	large leaves, rose-red maturing to deeper rose-purple, lighter pink-red flecks	late spring to mid summer (May-Jul)
'Georgia Plum' PPAF <i>sport of 'Georgia Peach' but smaller in habit</i>	○ ☞ ☀	12-18"	6-12"	clusters are cream-white to light pink	hairy, rose-purple leaves with pink-silver overlay, darker veining	late spring to mid summer (May-Jul)
'Hollywood' PP17129	○ ☞ ☀	12-18"	12-18"	clusters are coral-red	purple leaves with white overcast	late spring to mid summer (May-Jul)
'Lime Marmalade' PP21861 <i>a green sport of 'Marmalade'</i>	☞ ☀	12-18"	12-18"	clusters are near white	ruffled, lime-green to chartreuse	late spring to mid summer (May-Jul)
'Marmalade' PP15945	○ ☞ ☀	12-18"	12-18"	clusters are white	ruffled, honey-gold and peach, purple undersides	late spring to mid summer (May-Jul)
'Obsidian' PP14836 <i>one of the darkest Heuchera available</i>	○ ☞ ☀	6-12"	12-18"	clusters are creamy-white	compact, glossy, purplish-black, deep purple undersides	late spring to mid summer (May-Jul)
NEW 'Paris' PP18881 <i>part of the 'City' series</i>	○ ☞ ☀	6-12"	6-12"	clusters are deep rose-pink, repeat bloomer	green, deep green veining, silver overlay	late spring to mid summer (May-Jul)
'Peach Flambe' PP17195	○ ☞ ☀	12-18"	12-18"	clusters are white	ruffled, bright peach with red highlights, pink undersides	late spring to mid summer (May-Jul)
NEW 'Pear Crisp' PP23568	☞ ☀	12-18"	12-18"	clusters are ivory-white	ruffled, bright pear-green to chartreuse-green	late spring to mid summer (May-Jul)
'Southern Comfort' PP20364 <i>reportedly more tolerant of heat and humidity</i>	○ ☞ ☀	18-24"	18-24"	clusters are creamy white	cinnamon-peach maturing to copper and amber	late spring to mid summer (May-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Spellbound' PPAF	○ ☞ ☱	12-18"	12-18"	clusters are creamy white	ruffled, silver with purple and rose tints and dark veining, burgundy-red undersides	late spring to mid summer (May-Jul)
'Venus'	○ ☞ ☱	12-18"	12-18"	clusters are white	large leaves, silver, green veining	late spring to mid summer (May-Jul)
micrantha						
'Palace Purple' <i>1991 PPA Perennial of the Year</i>	○ ☞ ☱	12-18"	18-24"	clusters are cream-white	leaves range from olive-green, bronze, and burgundy, purple undersides	late spring to mid summer (May-Jul)
sanguinea / x brizoides						
'Ruby Bells'	○ ☞ ☱	18-24"	12-18"	clusters are blood-red	medium to light green with faint silver mottling	late spring to mid summer (May-Jul)
'Snow Angel'	○ ☞ ☱	6-12"	6-12"	clusters are bright rose-pink	mint-green and white marbled variegation, compact	late spring to mid summer (May-Jul)
villosa						
NEW 'Bella Notte' PPAF	○ ☞ ☱	6-12"	6-12"	clusters are pink	hairy, purple, slight silver marbling, deep burgundy undersides	late spring to mid summer (May-Jul)
'Berry Smoothie' PP21871	○ ☞ ☱	12-18"	12-18"	clusters are white	hairy, raspberry-pink with slight silver overlay and hot pink undersides	late spring to mid summer (May-Jul)
'Caramel' PP16560	○ ☞ ☱	6-12"	6-12"	clusters are creamy-white	compact, hairy, orange-yellow	late spring to mid summer (May-Jul)
'Christa' PP20764	○ ☞ ☱	6-12"	6-12"	clusters are white to light pink	compact, hairy, rose-purple during spring maturing to peach shades with silver accents	late spring to mid summer (May-Jul)
'Citronelle' PP17934 <i>sport of 'Caramel'</i>	○ ☞ ☱	6-12"	6-12"	clusters are creamy white	hairy, lemon to lime-yellow, will be chartreuse in shady areas	late spring to mid summer (May-Jul)
'Georgia Peach' PP19375	○ ☞ ☱	12-18"	12-18"	clusters are cream-white	hairy, bright peach leaves with silver accents	late spring to mid summer (May-Jul)
NEW 'Glitter' PPAF	○ ☞ ☱	12-18"	12-18"	clusters are pink	silver, black veining, burgundy stems	late spring to mid summer (May-Jul)
NEW 'Lava Lamp' PPAF	○ ☞ ☱	12-18"	18-24"	clusters are cream-white	vigorous, bright copper maturing to purple-copper	late spring to mid summer (May-Jul)
'Miracle' PPAF	○ ☞ ☱	6-12"	6-12"	clusters are light pink	hairy, brick-red to purplish-red with chartreuse-gold edges, silver undersides	late spring to mid summer (May-Jul)

HEUCHERELLA (Foamy Bells)

Heuchera is a cross between *Heuchera* and *Tiarella*. (Flowers like *Heuchera*, foliage like *Tiarella*.)

Hybrid						
'Brass Lantern' PP22396	○ ☞ ☱	6-12"	18-24"	clusters are white	brass-gold with bright burgundy-red veining	late spring to early summer (May-Jun)
NEW 'Copper Cascade'	○ ☞ ☱	6-12"	18-24"	clusters are white	copper-rose, white overlay, pink undersides	late spring to early summer (May-Jun)
'Gold Zebra' PP22104	○ ☞ ☱	6-12"	18-24"	clusters are white	hairy, leaves are chartreuse to yellow with burgundy-red center blotches	late spring to early summer (May-Jun)
'Solar Eclipse' PP23647	○ ☞ ☱	6-12"	18-24"	clusters are white	hairy, leaves are reddish-brown edged in lime-green	late spring to early summer (May-Jun)
'Stoplight' PP16835 <i>an improved variety over H. 'Sunspot'</i>	○ ☞ ☱	6-12"	18-24"	clusters are white	chartreuse to yellow leaves with rust-red center splotch	late spring to early summer (May-Jun)
'Sweet Tea' PP21296	○ ☞ ☱	6-12"	18-24"	clusters are white	hairy, leaves are tea-orange with deeper cinnamon-orange veining	late spring to early summer (May-Jun)

HIBISCUS (Rose Mallow)

Very late to break dormancy, so don't worry if you don't see signs of life until June or even July.

Hybrid						
'Berrylicious' PPAF	○ ☞	48-54"	48-54"	large, mauve to lavender-pink, strawberry-red eye	compact, wine-purple	mid summer to early fall (Jul-Sep)
'Blue River II'	○ ☞	54-60"	54-60"	large, pure white	deep green	mid summer to early fall (Jul-Sep)
'Cranberry Crush' PPAF <i>an unusually compact habit</i>	○ ☞	36-42"	36-42"	large, deep scarlet-red	compact, leathery, maple leaf shape, deep green tinged with purple	mid summer to early fall (Jul-Sep)
'Fireball' PP13631	○ ☞	54-60"	54-60"	large, fire red	deep green with tinted with purple	mid summer to early fall (Jul-Sep)
NEW 'Heartthrob' PPAF <i>one of the darkest red varieties available</i>	○ ☞	54-60"	54-60"	large, deep blackish-red	medium to deep green	mid summer to early fall (Jul-Sep)
'Jazzberry Jam' PPAF	○ ☞	54-60"	54-60"	large, deep magenta-red, deep red eye, ruffled	medium to deep green	mid summer to early fall (Jul-Sep)
'Peppermint Schnapps' PPAF	○ ☞	48-54"	42-48"	large, pink with reddish streaks, red center eye	medium green	mid summer to early fall (Jul-Sep)

HOSTA (Funkia, Plantain Lily)

Requiring little care, Hosta can make any planting classy and attractive. If flowers are not desired, simply prune out the flower stalks as they appear. Height listed includes flower, foliage usually stays about half or two-thirds as tall.

fluctuans

'Variegated' ('Sagae') <i>2000 Hosta of the Year</i>	○ ☞ ☰	36-42"	36-42"	lavender	large leaves, blue-green with yellow to creamy white margins, leathery	mid to late summer (Jul-Aug)
--	-------	--------	--------	----------	--	------------------------------

fortunei

'Gold Standard'	○ ☞ ☰	18-24"	24-30"	pale lavender	light green maturing to gold with deep green irregular margins	mid to late summer (Jul-Aug)
------------------------	-------	--------	--------	---------------	--	------------------------------

'Patriot'	○ ☞ ☰	24-30"	24-30"	lavender	deep green with wide white margins	mid to late summer (Jul-Aug)
------------------	-------	--------	--------	----------	------------------------------------	------------------------------

Hybrid

'Abiqua Drinking Gourd' <i>good slug resistance</i>	○ ☞ ☰	18-24"	18-24"	white	large, cup-shaped, blue-green	early to mid summer (Jun-Jul)
---	-------	--------	--------	-------	-------------------------------	-------------------------------

'American Hero' PP23587 <i>a percentage of proceeds to benefit Project Evergreen, sport of 'Revolution'</i>	○ ☞ ☰	18-24"	18-24"	lavender	deep green margins, cream-white to white centers speckled with green	mid to late summer (Jul-Aug)
---	-------	--------	--------	----------	--	------------------------------

'Arctic Blast'	○ ☞ ☰	24-30"	24-30"	lavender	wavy, frosted blue-green, white undersides	mid to late summer (Jul-Aug)
-----------------------	-------	--------	--------	----------	--	------------------------------

'August Moon'	○ ☞ ☰	18-24"	24-30"	light lavender	gold to chartreuse, puckered	mid to late summer (Jul-Aug)
----------------------	-------	--------	--------	----------------	------------------------------	------------------------------

'Blue Angel'	○ ☞ ☰	36-42"	36-42"	white	large leaves, blue-green, leathery	mid to late summer (Jul-Aug)
---------------------	-------	--------	--------	-------	------------------------------------	------------------------------

'Blue Mammoth'	○ ☞ ☰	36-42"	36-42"	white	large leaves, powdery gray-green, leathery	mid to late summer (Jul-Aug)
-----------------------	-------	--------	--------	-------	--	------------------------------

'Blue Mouse Ears' <i>2008 Hosta of the Year</i>	○ ☞ ☰	6-12"	6-12"	lavender	compact, leathery, blue to gray-green with heavy substance	mid to late summer (Jul-Aug)
---	-------	-------	-------	----------	--	------------------------------

'Blue Umbrellas'	○ ☞ ☰	36-42"	36-42"	pale lavender	large leaves, blue-green maturing to green, leathery	mid to late summer (Jul-Aug)
-------------------------	-------	--------	--------	---------------	--	------------------------------

'Cherry Berry'	○ ☞ ☰	12-18"	12-18"	lavender, reddish buds	white centers, deep green margins	mid to late summer (Jul-Aug)
-----------------------	-------	--------	--------	------------------------	-----------------------------------	------------------------------

'Dream Queen' <i>sport of 'Great Expectations'</i>	○ ☞ ☰	18-24"	36-42"	white	large leaves, blue-green with narrow creamy white irregular center, puckered	mid to late summer (Jul-Aug)
--	-------	--------	--------	-------	--	------------------------------

'Earth Angel' <i>sport of 'Blue Angel'</i>	○ ☞ ☰	30-36"	30-36"	pale lavender	large leaves, blue green with wide creamy-yellow margins	mid to late summer (Jul-Aug)
--	-------	--------	--------	---------------	--	------------------------------

'Empress Wu' PP20774 <i>proven winner selection, one of the largest Hosta available</i>	○ ☞ ☰	42-48"	48-54"	pale violet	large leaves, deep green, heavy-textured	early to mid summer (Jun-Jul)
---	-------	--------	--------	-------------	--	-------------------------------

'Fire and Ice' <i>sport of 'Patriot'</i>	○ ☞ ☰	18-24"	24-30"	lavender-pink	large white centers with wide medium to deep green irregular margins	mid to late summer (Jul-Aug)
--	-------	--------	--------	---------------	--	------------------------------

'Fire Island'	○ ☞ ☰	18-24"	18-24"	lavender	bright gold to yellow, red-tinted stems	mid to late summer (Jul-Aug)
----------------------	-------	--------	--------	----------	---	------------------------------

'First Frost' <i>sport of 'Halcyon'</i>	○ ☞ ☰	18-24"	18-24"	light lavender	blue-green with gold margins turning white	mid to late summer (Jul-Aug)
---	-------	--------	--------	----------------	--	------------------------------

'Great Expectations'	○ ☞ ☰	24-30"	36-42"	white	large leaves, blue-green margin and creamy yellow to white irregular center, puckered	early to mid summer (Jun-Jul)
-----------------------------	-------	--------	--------	-------	---	-------------------------------

'Guacamole' <i>2002 Hosta of the Year</i>	○ ☞ ☰	30-36"	36-42"	white, fragrant	large leaves, apple-green with deep green margins, centers mature to gold	mid to late summer (Jul-Aug)
---	-------	--------	--------	-----------------	---	------------------------------

'Independance' PP17044	○ ☞ ☰	18-24"	18-24"	light lavender	deep green with cream-white margins, margins speckled with green	mid to late summer (Jul-Aug)
-------------------------------	-------	--------	--------	----------------	--	------------------------------

'Island Charm'	○ ☞ ☰	6-12"	6-12"	pale purple	compact, deep green margins around a white center	mid to late summer (Jul-Aug)
-----------------------	-------	-------	-------	-------------	---	------------------------------

'June' <i>2001 Hosta of the Year, sport of 'Halcyon'</i>	○ ☞ ☰	18-24"	24-30"	pale lavender	blue-green margins with chartreuse centers that turn gold in summer	mid to late summer (Jul-Aug)
--	-------	--------	--------	---------------	---	------------------------------

'Komodo Dragon'	○ ☞ ☰	30-36"	30-36"	white	large leaves, deep green, cascading leaves	late summer to early fall (Aug-Sep)
------------------------	-------	--------	--------	-------	--	-------------------------------------

'Loyalist' <i>sport of 'Patriot'</i>	○ ☞ ☰	18-24"	18-24"	pale lavender	deep green margin and near white center	mid to late summer (Jul-Aug)
--	-------	--------	--------	---------------	---	------------------------------

'Mighty Mouse' <i>sport of 'Blue Mouse Ears'</i>	○ ☞ ☰	6-12"	6-12"	lavender	compact, leathery, blue to gray-green, wide cream-white margin	mid to late summer (Jul-Aug)
--	-------	-------	-------	----------	--	------------------------------

'Moonstruck'	○ ☞ ☰	12-18"	12-18"	lavender-purple	medium narrow leaves, deep blue-green edges, cream-yellow centers maturing to white	mid to late summer (Jul-Aug)
---------------------	-------	--------	--------	-----------------	---	------------------------------

'Niagara Falls'	○ ☞ ☰	24-30"	30-36"	pale lavender	large, blue-green, deep impressed veining, crinkled edges	mid to late summer (Jul-Aug)
------------------------	-------	--------	--------	---------------	---	------------------------------

'Night Before Christmas' <i>sport of 'White Christmas'</i>	○ ☞ ☰	24-30"	24-30"	pale lavender	large leaves, deep green with streaking white centers	mid to late summer (Jul-Aug)
--	-------	--------	--------	---------------	---	------------------------------

'Olive Bailey Langdon'	○ ☞ ☰	30-36"	30-36"	pale lavender	large round leaves, blue-green with wide yellow margins, puckered	mid to late summer (Jul-Aug)
-------------------------------	-------	--------	--------	---------------	---	------------------------------

'Orange Marmalade' PP16742 <i>sport of 'Paul's Glory'</i>	○ ☞ ☰	30-36"	30-36"	pale lavender	yellow with irregular blue-green margins, puckered	mid to late summer (Jul-Aug)
---	-------	--------	--------	---------------	--	------------------------------

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Prairie Sky' PP17309 <i>one of the better blue varieties</i>	☉ ☂	18-24"	18-24"	pale lavender	cupped, powder blue	mid to late summer (Jul-Aug)
'Praying Hands'	☉ ☂ ☂	12-18"	12-18"	lavender	medium green with thin white margin, unique upright-rolled leaves	mid to late summer (Jul-Aug)
'Queen of the Seas'	☉ ☂ ☂	30-36"	30-36"	white	large, blue-green, wavy edges	early to mid summer (Jun-Jul)
'Regal Splendor' <i>2003 Hosta of the Year, sport of 'Krossa Regal'</i>	☉ ☂ ☂	30-36"	24-30"	lavender on tall stems	frosted blue-green to gray with creamy white to yellow margins	late summer to early fall (Aug-Sep)
'Remember Me' <i>a percentage of proceeds to benefit the Susan G. Komen Breast Cancer Foundation, sport of 'June'</i>	☉ ☂ ☂	18-24"	18-24"	lavender	yellow centers brightening to white with blue-green margin	mid to late summer (Jul-Aug)
'Rhino Hide' PPAF <i>thick leaves, heavy texture, sun tolerant</i>	☉ ☂ ☂	18-24"	18-24"	white	leathery, puckered, light green maturing to yellow, wide blue margins	early to mid summer (Jun-Jul)
'Robert Frost'	☉ ☂ ☂	30-36"	30-36"	white	leathery, puckered, blue-green, wide cream-yellow margins	mid to late summer (Jul-Aug)
'Seducer' PP22413 <i>proven winner selection</i>	☉ ☂ ☂	30-36"	30-36"	white	large leaves, white etching in between gold margin and deep green center	mid to late summer (Jul-Aug)
'Stained Glass' <i>2006 Hosta of the Year, sport of 'Guacamole'</i>	☉ ☂ ☂	30-36"	36-42"	pale lavender, fragrant	large leaves, brilliant gold with wide deep green margins	mid to late summer (Jul-Aug)
'Sum and Substance' <i>2004 Hosta of the Year</i>	☉ ☂ ☂	36-42"	42-48"	pale lavender	large leaves, leathery, light green in shade, chartreuse to gold in sunny areas	mid to late summer (Jul-Aug)
'Sun Power'	☉ ☂ ☂	24-30"	24-30"	pale lavender	wavy leaves, light green in shade, gold-green in sunny areas	mid summer (Jul)
'T. Rex' <i>huge leaves</i>	☉ ☂ ☂	36-42"	42-48"	white	large leaves, medium green	mid to late summer (Jul-Aug)
'Vim & Vigor' <i>sport of 'Sum & Substance'</i>	☉ ☂ ☂	36-42"	36-42"	lavender	large, rounded, puckered, blue-green to green	mid to late summer (Jul-Aug)
'Wheee!' PP23565	☉ ☂ ☂	12-18"	12-18"	light lavender	ruffled narrow leaves, medium green, cream edges	mid to late summer (Jul-Aug)

sieboldiana

'Elegans'	☉ ☂ ☂	36-42"	36-42"	white	large puckered leaves, blue-gray to blue-green	late summer to early fall (Aug-Sep)
Frances Williams'	☉ ☂ ☂	30-36"	46-42"	white	leathery, large, puckered, blue-green with wide chartreuse margins	mid to late summer (Jul-Aug)

ventricosa

'True Blue'	☉ ☂ ☂	24-30"	30-36"	lavender	leathery, blue-green to green, pointed	mid to late summer (Jul-Aug)
-------------	-------	--------	--------	----------	--	------------------------------

HYDRANGEA (Climbing Hydrangea)

Climbing Hydrangea can tolerate sun, but does better in semi-shady areas. Be patient, it takes times to mature. Always an attractive plant, even when not in bloom.

anomala

petiolaris	☉ ☂ ☂	60" or more	42-48"	clusters are white	deep green, climbing	early to mid summer (Jun-Jul)
------------	-------	-------------	--------	--------------------	----------------------	-------------------------------

IBERIS (Candytuft)

Some trimming after flowering is beneficial to promote healthy center growth and an attractive appearance for the remainder of the season.

sempervirens

'Purity' <i>newer variety with a more uniform growth than the species</i>	☉ ☂	6-12"	30-36"	pure white	deep green, spreading, drought tolerant	early to late spring (Apr-May)
--	-----	-------	--------	------------	---	--------------------------------

IRIS

Trim out flower stems when flowering is complete, and divide the root clumps every few years to help maintain healthy growth.

Hybrid Bearded Iris (German Iris) : More varieties will become available later in the season.

	'Anaconda Love'	☉ ☂	24-30"	18-24"	pink standards, tie dye falls of purple and white, orange beard, ruffled	gray-green	late spring to early summer (May-Jun)
NEW	'Armageddon'	☉ ☂	30-36"	24-30"	light pink standards, plum-purple falls edged in pink	gray-green	late spring to early summer (May-Jun)
	'Autumn Circus'	☉ ☂	30-36"	24-30"	white standards with blue-violet streaks, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
	'Batik'	☉ ☂	24-30"	18-24"	royal purple with white splashes on standards and falls	gray-green	late spring to early summer (May-Jun)
	'Before the Storm' ('Rosalie Figg') <i>award-winner with its near-black color</i>	☉ ☂	30-36"	24-30"	black-purple, falls are black-purple	gray-green	early to mid summer (Jun-Jul)
NEW	'Breakers'	☉ ☂	30-36"	24-30"	ruffled, medium blue standards and falls, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
	'Clarence'	☉ ☂	30-36"	24-30"	fragrant, pale lavender with violet-blue falls and white beard, repeat bloomer	gray-green	late spring to early summer (May-Jun)
	'Edith Wolford'	☉ ☂	30-36"	24-30"	light canary-yellow, falls are blue-violet, heavily ruffled	gray-green	late spring to early summer (May-Jun)
NEW	'Happenstance'	☉ ☂	30-36"	24-30"	pink standards and falls, coral-pink beard, ruffled	gray-green	late spring to early summer (May-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Harlow Gold'	○ ☞	30-36"	24-30"	gold-yellow, yellow and white falls, upright	gray-green	late spring to early summer (May-Jun)
'Harvest of Memories'	○ ☞	30-36"	24-30"	clear yellow, ruffled, repeat bloomer	gray-green	late spring to early summer (May-Jun)
'Immortality' <i>one of the most consistent of repeat bloomers</i>	○ ☞	30-36"	30-36"	fragrant, white, falls are white, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
NEW 'Mystic's Muse'	○ ☞	30-36"	24-30"	bright salmon-pink standards and falls, bright tangerine beard	gray-green	late spring to mid summer (May-Jul)
NEW 'Pink Attraction'	○ ☞	24-30"	18-24"	soft salmon-pink standards and falls, light orange beard, fragrant, repeat bloomer	gray-green	late spring to mid summer (May-Jul)
NEW 'Raptor Red'	○ ☞	30-36"	24-30"	wine-red to maroon standards and falls, ruffled	gray-green	late spring to early summer (May-Jun)
'Rare Treat'	○ ☞	30-36"	24-30"	white with violet to sky-blue edges on standards and falls	gray-green	late spring to early summer (May-Jun)
pallida (Sweet Iris)						
'Variegata'	○ ☞	18-24"	18-24"	lavender-blue	gray-green with creamy-yellow vertical streaks	late spring to early summer (May-Jun)
pseudacorus (Yellow Flag Iris)						
pseudacorus <i>moisture-loving</i>	○ ☞	30-36"	36-42"	lemon-yellow to gold	medium green	late spring to early summer (May-Jun)
sibirica (Siberian Iris)						
'Blue King'	○ ☞	24-30"	24-30"	medium blue	medium green	early to mid summer (Jun-Jul)
'Butter and Sugar'	○ ☞	24-30"	24-30"	white standards, butter-yellow falls, greenish-yellow veins	medium green	early to mid summer (Jun-Jul)
'Ruffled Velvet'	○ ☞	24-30"	24-30"	red-purple standards, darker purple falls, black and gold highlights	medium green	early to mid summer (Jun-Jul)
'Super Ego'	○ ☞	24-30"	24-30"	electric blue and light blue blend	medium green	early to mid summer (Jun-Jul)
versicolor						
'Gerald Darby'	○ ☞	30-36"	36-42"	purple-blue with white and yellow centers	medium green to gray with purple-tinted bases	early to mid summer (Jun-Jul)
ISOTOMA (Blue-star Creeper)						
<i>Also known as <i>Laurentia fluvialis</i> or <i>Pratia pedunculata</i>. Benefits from some winter protection/mulching.</i>						
fluvialis						
fluvialis	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)
KNIPHOFIA (Poker Plant, Torch Lily, Tritoma)						
<i>Very unique flowers and mature plants in bloom can be an incredible sight. Does best in mostly sunny areas.</i>						
Hybrid						
'Flamenco Mix'	○ ☞	30-36"	24-30"	spikes are mixed (one color per plant) orange, orange-red, yellow, or orange and yellow bicolor	medium green	early to late summer (Jun-Aug)
LAMIASTRUM (Yellow Archangel)						
<i>'Herman's Pride' stays quite contained, but allow plenty of room for the rest of the genus.</i>						
galeobdolan						
'Herman's Pride'	○ ☞ ☂	6" or less	12-18"	yellow, insignificant	varegated and marbled deep green and silver-white, vigorous, compact	early to late spring (Apr-May)
LAMIUM (Dead or Spotted Nettle)						
<i>Lamium will tolerate some sun, but all varieties will do best if they get a break from the sun during some part of the day.</i>						
maculatum						
'Purple Dragon' PP15890	○ ☞ ☂	6-12"	30-36"	cluster are large, fuchsia-purple	silver with deep green margins, spreading	early spring to mid summer (Apr-Jul)
'White Nancy'	○ ☞ ☂	6-12"	30-36"	clusters are pure white	silver leaves with narrow green margins, spreading	late spring to mid summer (May-Jul)
LAURENTIA : Please see ISOTOMA.						
	○ ☞	6" or less	6-12"	dainty, lilac with purple veining	mat-like, spreading, medium green	late spring to late summer (May-Aug)
LAVANDULA (Lavender)						
<i>Pruning foliage half-way back every year after blooming will promote more lush growth and a less "woody" appearance.</i>						
angustifolia						
'Blue Cushion' PP9119	○ ☞	12-18"	12-18"	lavender-blue	uniform, gray-green, fragrant	early to late summer (Jun-Aug)
'Elegance Purple'	○ ☞	6-12"	12-18"	deep purple-blue	silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
NEW 'French Perfume'	○ ☞	12-18"	12-18"	deep purple	mounding, gray-green, fragrant	mid summer to early fall (Jul-Sep)
'Hidcote'	○ ☞	12-18"	12-18"	deep violet-blue	tidy, silver gray-green, fragrant	mid summer to early fall (Jul-Sep)
'Silver Mist'	○ ☞	12-18"	18-24"	lavender-purple	silver-white, fragrant	mid summer to early fall (Jul-Sep)
NEW 'Sweet Romance' PP23001 <i>proven winner selection</i>	○ ☞	12-18"	12-18"	rich violet-purple	mounding, gray-green, fragrant	early summer to early fall (Jun-Sep)
x intermedia						
'Grosso'	○ ☞	24-30"	24-30"	violet-blue	gray-green, fragrant, upright	mid summer to early fall (Jul-Sep)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW 'Provence'	☉ ☂	30-36"	30-36"	lavender-blue,	gray-green, sweet fragrance	mid summer to early fall (Jul-Sep)
<i>one of the best varieties for bouquet and culinary use</i>						

LEPTINELLA (Brass Buttons)

Leptinella prefers a well-drained soil. If planting in clay or heavier soil, add some lighter potting soil or peat moss to the area and work it in. Tolerates foot traffic, and also good in rockery, brickwork, or between stepping stones.

squalida

'Platt's Black'	☉ ☂	6" or less	18-24"	yellow, insignificant	mat-like, blackish-purple tipped in green, spreading	early to mid summer (Jun-Jul)
-----------------	-----	------------	--------	-----------------------	--	-------------------------------

LEUCANTHEMUM (Shasta Daisy)

Common name comes from Luther Burbank's extensive work with daisies near Mt. Shasta. Keep in well-drained areas. Prune foliage back after blooming to promote new growth and repeat blooms.

x superbum

'Aglaia'	☉ ☂	24-30"	24-30"	large, fringed, white	deep green	early to late summer (Jun-Aug)
<i>flower petals are reminiscent of shaved coconut</i>						
'Banana Cream' PP23181	☉ ☂	12-18"	12-18"	large, semi-double, lemon-yellow maturing to light yellow with a yellow center	compact, deep green	early to late summer (Jun-Aug)
<i>proven winner selection</i>						
'Becky'	☉ ☂	30-36"	42-48"	large, white with yellow centers	deep green, sturdy	mid summer to early fall (Jul-Sep)
<i>2003 PPA Perennial of the Year</i>						
'Daisy May' ('Daisy Duke' PP21914)	☉ ☂	18-24"	18-24"	large, single, pure white with yellow centers, great for cutting	deep green, compact	mid summer to early fall (Jul-Sep)
<i>proven winner selection, 3 times the blooms of most other Shastas, tidy and compact habit, perfect for containers or where garden space is at a premium</i>						
'Snowcap'	☉ ☂	12-18"	12-18"	white flowers with yellow centers	deep green, compact	early to late summer (Jun-Aug)

LEWISIA (Bitterroot)

Lewisia prefers afternoon shade and good drainage. Perfect for rockery or cottage-type gardens.

cotyledon

'Mix'	☉ ☂	6-12"	6-12"	mixed orange, pink, red, or white	succulent, medium green	late spring to mid summer (May-Jul)
-------	-----	-------	-------	-----------------------------------	-------------------------	-------------------------------------

LIATRIS (Blazing Star, Gayfeather)

spicata

'Floristan Violet'	☉ ☂	24-30"	18-24"	spikes are violet-purple to lavender	deep green	mid summer to early fall (Jul-Sep)
'Floristan White'	☉ ☂	24-30"	18-24"	spikes are white	deep green	mid summer to early fall (Jul-Sep)
'Kobold'	☉ ☂	12-18"	18-24"	spikes are purple to lavender	deep green, compact	mid summer to early fall (Jul-Sep)
<i>seed strain</i>						

LIGULARIA (Goldenray, Ragwort)

Ligularia loves wet and boggy soils. Few plants can match its imposing and attractive foliage.

dentata

'Britt Marie Crawford' PP16113	☂ ☀	36-42"	30-36"	daisy-like, golden-orange	glossy, large leaves, chocolate-purple, purple undersides	mid to late summer (Jul-Aug)
--------------------------------	-----	--------	--------	---------------------------	---	------------------------------

japonica

japonica	☂ ☀	42-48"	42-48"	daisy-like, yellow	large, medium green, glossy	early to mid summer (Jun-Jul)
----------	-----	--------	--------	--------------------	-----------------------------	-------------------------------

stenocephala

'Bottle Rocket' PPAF	☂ ☀	24-30"	24-30"	spikes are bright yellow	compact, deep green, chocolate-brown stems, glossy, serrated	mid to late summer (Jul-Aug)
<i>sport of 'Little Rocket' and slightly more compact</i>						
'Little Rocket' PP14621	☂ ☀	30-36"	30-36"	spikes are bright yellow	compact, deep green, glossy, serrated	mid to late summer (Jul-Aug)
'The Rocket'	☂ ☀	42-48"	30-36"	spikes are bright yellow	deep green, glossy, serrated	mid to late summer (Jul-Aug)

LILIUM (Garden Lily)

Cut back half-way after blooming to force new bulb production and to tidy up the plant.

Hybrid Asiatic

'Lollypop'	☉ ☂	18-24"	12-18"	white with rose-pink petal tips	deep green	early to mid summer (Jun-Jul)
'Vermeer'	☉ ☂	36-42"	18-24"	large, dusted raspberry-pink, cream-white center shadow and edges	deep green	early to mid summer (Jun-Jul)

Hybrid Asiatic (Lily Looks Series)

'Tiny Athlete' PP17641	☉ ☂	12-18"	6-12"	light pink, deeper pink midrib	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Bee' PP16255	☉ ☂	12-18"	6-12"	bright yellow, black spots near center	deep green, compact	early to mid summer (Jun-Jul)
NEW 'Tiny Dancers' PPAF	☉ ☂	12-18"	6-12"	large, dusted pink, cream-yellow center	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Double You' PPAF	☉ ☂	12-18"	6-12"	double, bright pumpkin-orange	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Padhye' PP20549	☉ ☂	12-18"	6-12"	rich royal-purple with petal ends sprayed in white	deep green, compact	early to mid summer (Jun-Jul)
'Tiny Sensation' PP17617	☉ ☂	12-18"	6-12"	golden-orange with maroon flecks near center	deep green, compact	early to mid summer (Jun-Jul)

Hybrid Oriental

'After Eight'	☉ ☂	12-18"	12-18"	fragrant, rose-pink center fading to lighter pink edges	deep gray-green, compact	early to mid summer (Jun-Jul)
<i>a miniature version of 'Stargazer'</i>						
'Dizzy'	☉ ☂	30-36"	18-24"	fragrant, large, white with red center stripe, some freckling	deep gray-green	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Stargazer'	○ ☞	24-30"	18-24"	large, rich rose-pink center fading to lighter pink edges	deep gray-green	early to mid summer (Jun-Jul)
LINUM (Flax)						
<i>Due to its foliage having an airy nature, Linum can be cut back to produce growth at the base and a more bushy habit.</i>						
<i>perenne</i>						
perenne	○ ☞	12-18"	12-18"	deep to light sky-blue	light green, airy	early to late summer (Jun-Aug)
<i>prune foliage back after blooming to promote new growth and repeat blooms</i>						
LIRIOPE (Lilyturf)						
<i>Liriope are very hardy in our area of Western Michigan, but in zones 5 and lower, they do benefit from some protection.</i>						
<i>spicata</i>						
spicata	○ ☞ ☀	6-12"	30-36"	violet	grass-like, deep green, spreading	late summer to early fall (Aug-Sep)
<i>often overlooked but a very nice groundcover</i>						
LOBELIA (Cardinal Flower)						
<i>Lobelia does well in a moist soil. It will break dormancy later than most plants, so be patient in the spring and early summer.</i>						
<i>fulgens</i>						
'Queen Victoria'	○ ☞ ☀	36-42"	30-36"	spikes are bright red	attractive bronzed burgundy	late summer to late fall (Aug-Oct)
<i>speciosa</i>						
'Fan Blue'	○ ☞ ☀	24-30"	24-30"	spikes are lavender to blue	deep green with bronze highlights	late summer to late fall (Aug-Oct)
<i>part of the 'Fan' series with a more compact habit</i>						
'Fan Burgundy'	○ ☞ ☀	24-30"	24-30"	spikes are deep wine-red	deep green with bronze highlights	late summer to late fall (Aug-Oct)
<i>part of the 'Fan' series with a more compact habit</i>						
LONICERA (Honeysuckle)						
<i>Honeysuckle can be used as a fragrant and ornamental vine when given a place to climb, or let go as a groundcover. Hummingbirds love them, too!</i>						
<i>japonica</i>						
'Mandarin' PP11083	○ ☞ ☀	60" or more	54-60"	bright orange and yellow, fragrant	deep green with copper highlights, climbing	early to late summer (Jun-Aug)
<i>periclymenum</i>						
'Serotina'	○ ☞ ☀	60" or more	54-60"	crimson-red buds open to cream-yellow and dark red, fragrant	gray-green, climbing	early to late summer (Jun-Aug)
<i>still vigorous but a bit more compact than most honeysuckle</i>						
<i>sempervirens</i>						
'Major Wheeler'	○ ☞ ☀	60" or more	54-60"	deep scarlet, trumpet-shaped, fragrant	blue-green, mildew-resistant, climbing	late spring to mid summer (May-Jul)
<i>x heckrottii</i>						
'Gold Flame' PP20456	○ ☞ ☀	60" or more	54-60"	purple-pink buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
heckrottii	○ ☞ ☀	60" or more	54-60"	carmine buds open to cream-yellow, fragrant	gray-green, climbing	late spring to late summer (May-Aug)
LUPINUS (Lupine)						
<i>Don't worry, your Lupine may go dormant after flowering and foliage may deteriorate, but they're not dead! Winter mulching/protection is beneficial.</i>						
<i>Hybrid</i>						
'Gallery Blue'	○ ☞	18-24"	24-30"	spikes are violet-blue and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Pink'	○ ☞	18-24"	24-30"	spikes are rose-pink and white	medium to light green	late spring to early summer (May-Jun)
'Gallery Red'	○ ☞	18-24"	24-30"	spikes are rose-red and white	medium to light green	late spring to early summer (May-Jun)
'Gallery White'	○ ☞	18-24"	24-30"	spikes are white	medium to light green	late spring to early summer (May-Jun)
'Gallery Yellow'	○ ☞	18-24"	24-30"	spikes are soft yellow and white	medium to light green	late spring to early summer (May-Jun)
'Minarette'	○ ☞	6-12"	18-24"	spikes are mixed (one color per plant) pink, red, or yellow	medium to light green, compact	late spring to early summer (May-Jun)
'Tutti Frutti Mix'	○ ☞	30-36"	18-24"	spikes are mixed (one color per plant) blue, gold, purple, pink, red, rose, yellow, or bicolor	medium to light green	late spring to early summer (May-Jun)
LYSIMACHIA (Creeping Jenny, Gooseneck Loosestrife, Moneywort)						
<i>clethroides (Gooseneck Loosestrife)</i>						
clethroides	○ ☞ ☀	30-36"	42-48"	spikes are white, gooseneck-shaped	deep green, reddish color in fall, spreading	mid to late summer (Jul-Aug)
<i>tolerant of many soil conditions, easy to grow</i>						
MALVA (Mallow)						
<i>Can seed and spread rapidly. Keep under control with periodic "weeding." Foliage may be pruned back after blooming to promote new growth and blooms.</i>						
<i>sylvestris (Cheeses)</i>						
'Zebrinus'	○ ☞	30-36"	42-48"	lavender with deep purple veining	deep green	mid summer to early fall (Jul-Sep)
MONARDA (Bee Balm, Oswego Tea)						
<i>Do not worry when foliage deteriorates during and after blooming... it is normal, just prune back. Butterflies love Monarda's pincushion-like flowers!</i>						
<i>didyma</i>						
'Fireball' PP14235	○ ☞	12-18"	12-18"	bright scarlet-red	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
'Grand Parade' PP19580	○ ☞	12-18"	24-30"	lavender-purple	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)
<i>excellent mildew resistance</i>						
'Jacob Cline'	○ ☞	30-36"	36-42"	large, bright red	medium green, mildew-resistant, fragrant	mid to late summer (Jul-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Pardon My Pink' PPAF <i>proven winner selection</i>	○ ☞	6-12"	12-18"	medium pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
'Pardon My Purple' PP22170 <i>proven winner selection</i>	○ ☞	6-12"	12-18"	dark purple	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)
'Pink Supreme' PP14204	○ ☞	12-18"	12-18"	deep pink	mildew-resistant, fragrant, deep green, compact	mid to late summer (Jul-Aug)

MUKDENIA (Aceriphyllum, Saxifrage)

Little known, but it shouldn't be. Attractive foliage and flowers, and it's just fun to say 'Mukdenia!'

rossii						
'Karasuba'	☞ ☀	6-12"	12-18"	white	green with reddish tips maturing to all red by fall	early spring to early summer (Apr-Jun)

MYOSOTIS (Woodland Forget-Me-Not)

Myosotis will seed itself, but does not usually become a problem.

sylvatica						
'Royal Blue' ('Bluesylva')	○ ☞ ☀	6-12"	24-30"	light baby-blue	medium green, compact	early to late spring (Apr-May)

NEPETA (Catmint)

faassenii						
NEW 'Cat's Meow' PPAF <i>proven winner selection, reportedly deer resistant</i>	○ ☞	12-18"	18-24"	sky-blue to lavender	gray-green, fragrant, compact	late spring to late summer (May-Aug)
'Walker's Low' <i>2007 PPA Perennial of the Year, prune foliage back after blooming to promote new growth and repeat blooms</i>	○ ☞	24-30"	30-36"	spikes are lavender-blue	gray-green, fragrant	late spring to late summer (May-Aug)

OENOTHERA (Evening Primrose, Sundrops)

Many varieties of Oenothera benefit from some shade, as some blooms will not completely open during daytime hours or in full sun.

fruticosa / tetragona (Narrow-leaf Evening Primrose, Sundrops)						
'Lemon Drop' <i>proven winner selection, does not self-seed</i>	○ ☞	6-12"	18-24"	sunny yellow	light green with reddish tints, reddish stems	early to mid summer (Jun-Jul)
macrocarpa / missouriensis (Missouri Primrose)						
macrocarpa / missouriensis	○ ☞	6-12"	30-36"	soft lemon-yellow	light green, sometimes tinged with red	early to late summer (Jun-Aug)

OPHIPOGON (Black Lilyturf, Mondo Grass)

Ophiopogon benefits from a winter mulch if possible. Outstanding as an accent plant or groundcover.

planiscapus						
'Niger' <i>slow to spread, tolerates some foot traffic</i>	○ ☞ ☀	6-12"	12-18"	bell-shaped, pinkish-white, purplish-black berries in fall	grass-like, deep purple-black	early to mid summer (Jun-Jul)

OXALIS (Wood Sorrel)

The type of Oxalis listed here is the hardy type for outdoor use in our area.

crassipes						
'Rosea' <i>will keep flowering if kept moist throughout the summer</i>	☞ ☀	6-12"	24-30"	bright pink	clover-shaped leaves, light green, spreading	early spring to early summer (Apr-Jun)

PACHYSANDRA (Japanese Spurge)

A very nice lush groundcover, but allow some time for it to get established. Keep moist if planted in sunny areas.

terminalis						
terminalis	○ ☞ ☀	6-12"	24-30"	small, white	dense, medium to deep green, spreading	early to late spring (Apr-May)

PAEONIA (Garden Peony, Tree Peony)

Foliage support is welcome for the garden type of Peony as their huge flowers cause stems to bend. Tree type Peonies are slower-growing, have patience.

Hybrid						
'Krinkled White' <i>slightly later to bloom</i>	○ ☞	30-36"	30-36"	single, fringed, white	glossy, deep green	late spring to early summer (May-Jun)
Hybrid (Intersectional) : the best of both herbaceous peonies and woody tree peonies, including large flowers, strong stems, and longer bloom time						
'Bartzella'	○ ☞	30-36"	30-36"	semi-double to double, pastel yellow, fragrant	tree-peony-like, deep green	late spring to early summer (May-Jun)
NEW 'First Arrival'	○ ☞	30-36"	30-36"	semi-double to double, lavender-pink, fragrant	tree-peony-like, deep green	late spring to early summer (May-Jun)
'Old Rose Dandy'	○ ☞	30-36"	30-36"	semi-double to double, coral to peach, fragrant	tree-peony-like, deep green	late spring to early summer (May-Jun)
lactiflora (Garden Peony) : for best results, plant with crown 1½-2" below soil surface						
'Double Pink'	○ ☞	36-42"	36-42"	fluffy, light pink to salmon-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Double White'	○ ☞	36-42"	36-42"	fluffy, pure white, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Duchess de Nemours'	○ ☞	30-36"	30-36"	double, white	glossy, deep green	late spring to early summer (May-Jun)
'Felix Crousse'	○ ☞	24-30"	24-30"	double, carmine-red, fragrant		late spring to early summer (May-Jun)
'Festiva Maxima'	○ ☞	30-36"	30-36"	double, white with red flashes near center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Raspberry Sundae'	○ ☞	24-30"	30-36"	double, pale pink with deeper pink center, fragrant	glossy, deep green	late spring to early summer (May-Jun)
'Sarah Bernhardt'	○ ☞	24-30"	30-36"	double, rose-pink and light pink blend, fragrant	glossy, deep green	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Shawnee Chief'	○ ☞	24-30"	30-36"	double, deep red with hints of purple-pink, fragrant	glossy, deep green	late spring to early summer (May-Jun)
sufruticosa (Tree Peony) : for best results, plant with graft union 4-6" below soil surface						
'Hanakiso Pink'	○ ☞	48-54"	48-54"	semi-double, apricot-pink	medium green, woody	late spring to early summer (May-Jun)
NEW 'High Noon'	○ ☞	48-54"	48-54"	semi-double, bright yellow	medium green, woody	late spring to early summer (May-Jun)
<i>will sometimes repeat bloom in fall</i>						
'Hoki Red'	○ ☞	48-54"	48-54"	semi-double, lipstick red	medium green, woody	late spring to early summer (May-Jun)
'Sahohime White'	○ ☞	48-54"	48-54"	semi-double, white with reddish-pink center blush	medium green, woody	late spring to early summer (May-Jun)
'Shimadaijin Purple'	○ ☞	48-54"	48-54"	double, royal purple	medium green, woody	late spring to early summer (May-Jun)
'Shimanishiki Bicolor'	○ ☞	48-54"	48-54"	semi-double, reddish-purple striped with white	medium green, woody	late spring to early summer (May-Jun)
PAPAVER (Poppy)						
<i>Foliage will disappear and plant will go dormant after blooming. Needs well-drained soil.</i>						
Hybrid (Summer Breeze Series)						
'Yellow'	○ ☞	12-18"	6-12"	single, bright yellow	compact, light green	early to late summer (Jun-Aug)
nudicaule (Iceland Poppy)						
'Champagne Bubbles Pink'	○ ☞	6-12"	12-18"	papery, salmon-pink	hairy, light green	early to late summer (Jun-Aug)
NEW 'Champagne Bubbles Scarlet'	○ ☞	6-12"	12-18"	papery, bright scarlet-red	hairy, light green	early to late summer (Jun-Aug)
'Champagne Bubbles Yellow'	○ ☞	6-12"	12-18"	papery, bright yellow	hairy, light green	early to late summer (Jun-Aug)
orientale						
'Crimson Red'	○ ☞	24-30"	24-30"	rich crimson-red with a large black center	medium green, hairy	late spring to early summer (May-Jun)
PENSTEMON (Beardtongue)						
<i>Penstemon comes from the words "pente" (five), and "stemon" (stamen), meaning "five stamens." Prune foliage back after blooming to promote new growth and repeat blooms. Many varieties attract hummingbirds.</i>						
barbatus						
'Pinacolada Blue'	○ ☞	6-12"	6-12"	spikes are varying shades of blue	compact, glossy, medium green	late spring to mid summer (May-Jul)
digitalis						
'Husker Red'	○ ☞	30-36"	24-30"	spikes are white tinged with pink	deep green and maroon-red	early to late summer (Jun-Aug)
<i>1996 PPA Perennial of the Year</i>						
PHLOX (Phlox)						
<i>Tall varieties will get some mildew, which is normal. Pruning foliage back after blooming will promote new growth and blooms. Yes, most Phlox can tolerate shadier areas. Butterflies and hummingbirds love them!</i>						
paniculata (Tall Phlox)						
'Blue Paradise'	○ ☞ ☂	36-42"	30-36"	lavender-blue with small white centers, fragrant	deep green	mid summer to early fall (Jul-Sep)
'Bright Eyes'	○ ☞ ☂	30-36"	30-36"	pale pink with hot pink eye	deep green	mid summer to early fall (Jul-Sep)
'David'	○ ☞ ☂	36-42"	36-42"	pure white, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
<i>2002 PPA Perennial of the Year</i>						
'Flame Coral' PP22234	○ ☞ ☂	6-12"	6-12"	fragrant, coral-red	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'Flame Pink' PP11804	○ ☞ ☂	6-12"	6-12"	fragrant, pink with red eye	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'Flame Purple' PP12605	○ ☞ ☂	6-12"	6-12"	fragrant, purple	deep green, compact, mildew resistant	mid summer to early fall (Jul-Sep)
'Laura'	○ ☞ ☂	24-30"	30-36"	fragrant, fuchsia-purple with a white center	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
<i>one of our favorite Phlox varieties</i>						
'Minnie Pearl'	○ ☞ ☂	12-18"	18-24"	large, fragrant, pure white	mildew-resistant, medium to deep green	early to late summer (Jun-Aug)
<i>earlier to bloom than most other tall phlox</i>						
'Nicky'	○ ☞ ☂	30-36"	30-36"	large, magenta-pink, fragrant	medium to deep green, mildew resistant	mid summer to early fall (Jul-Sep)
'Orange Perfection'	○ ☞ ☂	30-36"	30-36"	salmon-orange, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
'Red Riding Hood'	○ ☞ ☂	18-24"	18-24"	cherry-red, fragrant	medium to deep green	mid summer to early fall (Jul-Sep)
'Swizzle' PP19813	○ ☞ ☂	18-24"	18-24"	light pink overlapping petals, fuchsia-pink center, fragrant	compact, medium to deep green	mid summer to early fall (Jul-Sep)
subulata (Moss Creeping Phlox)						
'Emerald Blue'	○ ☞	6" or less	12-18"	light lavender-blue	mat-like, light green, spreading	early to late spring (Apr-May)
'Emerald Pink'	○ ☞	6" or less	12-18"	pink to rose-pink	mat-like, light green, spreading	early to late spring (Apr-May)
'North Hills'	○ ☞	6" or less	12-18"	bright white, violet-purple center eye	mat-like, light green, spreading	early to late spring (Apr-May)
'Red Wing'	○ ☞					early to late spring (Apr-May)
'Snowflake'	○ ☞	6" or less	12-18"	star-shaped, pure white	mat-like, light green, spreading	early to late spring (Apr-May)
<i>an improved white variety of creeping phlox</i>						

PHYSOSTEGIA (False Dragonhead, Lion's Heart, Obedient Plant)

The common name Obedient Plant comes from its flowers' ability to be twisted on the stem and still remain as they are arranged.

virginiana

'Pink Manners' PPAF	○ ☞ ☰	30-36"	30-36"	spikes are lavender-pale	slightly glossy, medium green, tolerates moisture well	early to late summer (Jun-Aug)
---------------------	-------	--------	--------	--------------------------	--	--------------------------------

PLATYCODON (Balloon Flower)

Balloon Flower gets its name from its bud and flower shape. Platycodon will sometimes go dormant after flowering, and it breaks dormancy quite late in the spring.

grandiflorus

'Fuji Pink'	○ ☞	18-24"	18-24"	bell-shaped, soft pink	medium green	mid to late summer (Jul-Aug)
<i>pink coloring is enhanced/preserved if given some shade</i>						
'Sentimental Blue'	○ ☞	6-12"	6-12"	round "balloons" open to star-shaped violet-blue flowers	medium green, compact	mid summer to early fall (Jul-Sep)

POLEMONIUM (Jacob's Ladder)

Common name comes from its ladder-like formation of leaves. Prune foliage back after blooming to promote new growth and repeat blooms.

boreale

'Heavenly Habit'	○ ☞ ☰	18-24"	18-24"	clusters are blue with yellow halo and white eye	medium to light green, lacy	late spring to mid summer (May-Jul)
------------------	-------	--------	--------	--	-----------------------------	-------------------------------------

caeruleum

'Brise d'Anjou' PP9781	○ ☞ ☰	12-18"	18-24"	clusters are violet-blue	lacy, cream-white and light green variegation	late spring to early summer (May-Jun)
------------------------	-------	--------	--------	--------------------------	---	---------------------------------------

POLYGONATUM (Solomon's Seal)

odoratum

'Variegatum'	☞ ☰	18-24"	24-30"	white, nodding	green with white margins, arching stems	late spring to early summer (May-Jun)
<i>2013 PPA Perennial of the Year</i>						

PRIMULA (Primrose)

Try to keep moist and/or plant in a shadier area. Prune foliage back after blooming to promote new growth and repeat blooms.

Hybrid (Ballerina Series)

NEW 'Buttercup' ('Kerbelbut' PP16373)	☞ ☰	6-12"	6-12"	double, large, sunny yellow	light green, crinkled	early spring to early summer (Apr-Jun)
NEW 'Cobalt Blue' ('Kerbelcob' PP16397)	☞ ☰	6-12"	6-12"	double, large, deep blue	light green, crinkled	early spring to early summer (Apr-Jun)
NEW 'Nectarine' ('Kerbelnec' PP16373)	☞ ☰	6-12"	6-12"	double, large, cream-yellow maturing to apricot-pink	light green, crinkled	early spring to early summer (Apr-Jun)
NEW 'Pink Ice' ('Kerbelpice' PP16373)	☞ ☰	6-12"	6-12"	double, large, white maturing to blush pink	light green, crinkled	early spring to early summer (Apr-Jun)

x polyantha (English Primrose)

'Pacific Giant Mix'	☞ ☰	6-12"	6-12"	mixed (one color per plant) lavender, pink, red, violet-blue, white, or yellow, all with yellow centers	foliage is crinkled, compact, light green	early to late spring (Apr-May)
---------------------	-----	-------	-------	---	---	--------------------------------

PULMONARIA (Bethlehem Sage, Lungwort)

Pulmonaria is reported to have lung healing properties, hence the common name Lungwort.

Hybrid

'Raspberry Splash' PP12138	☞ ☰	6-12"	6-12"	raspberry-pink	leathery, deep green with silver spots	early to late spring (Apr-May)
----------------------------	-----	-------	-------	----------------	--	--------------------------------

saccharata

'Mrs. Moon'	☞ ☰	6-12"	6-12"	magenta-pink buds open to bright blue	leathery, deep green with silver spots	early to late spring (Apr-May)
-------------	-----	-------	-------	---------------------------------------	--	--------------------------------

PULSATILLA (Pasque Flower)

vulgaris

'Papageno'	○ ☞	12-18"	12-18"	mixed (one color per plant) burgundy-red, cream, pink, or violet-red	soft and fuzzy, medium green	early to late spring (Apr-May)
------------	-----	--------	--------	--	------------------------------	--------------------------------

vulgaris (Anemone pulsatilla)

vulgaris	○ ☞ ☰	12-18"	12-18"	five-petaled, colors of burgundy, lavender, purple, or white	soft and fuzzy, medium green	early to late spring (Apr-May)
-----------------	-------	--------	--------	--	------------------------------	--------------------------------

RODGERSIA (Rodger's Flower)

Moisture is absolutely necessary for Rodgersia. Leaves resemble a horse chestnut leaf.

aesculifolia

aesculifolia	○ ☞ ☰	36-42"	30-36"	clusters are creamy white maturing to light pink	hairy, course, medium to deep green	early to mid summer (Jun-Jul)
---------------------	-------	--------	--------	--	-------------------------------------	-------------------------------

ROSE (Various Potted Varieties)

2-3 year old, mature plants.

Drift Series : Like the popular Flower Carpets, with extremely long bloom time and low-maintenance.

NEW 'Drift Coral'	○ ☞	18-24"	30-36"	semi-double, bright coral	deep green, glossy	late spring to late fall (May-Oct)
<i>Flower Carpet Series : Popular for their rugged character, lower-growing habit, and continuous blooming.</i>						
'Pink Supreme'	○ ☞	18-24"	30-36"	semi-double, rose-pink	deep green, glossy	late spring to late fall (May-Oct)
'Scarlet'	○ ☞	18-24"	30-36"	semi-double, red	deep green, glossy	late spring to late fall (May-Oct)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Home Run Series : Hybridized from the Knock Out series, disease and drought tolerant.						
'Pink' PPAF	○ ☞	30-36"	30-36"	single, rich pink with yellow center	deep green	early summer to early fall (Jun-Sep)
<i>hybrid from the 'Knock Out' series, disease resistant and heat tolerant</i>						
'Red' PP18552	○ ☞	30-36"	30-36"	single, deep red with yellow center	deep green	early summer to early fall (Jun-Sep)
<i>hybrid from the 'Knock Out' series, disease resistant and heat tolerant</i>						
Knock Out Series : One of the most popular shrub rose lines, with excellent disease-resistance, bloom time, and flower size.						
'Double Pink' PP18507	○ ☞	30-36"	30-36"	double, rose-pink, light scent	deep green	early summer to late fall (Jun-Oct)
'Double Red' PP16202	○ ☞	30-36"	30-36"	double, cherry-red, light scent	deep green	early summer to late fall (Jun-Oct)
'Pink' PP15070	○ ☞	36-42"	36-42"	semi-double, rose-pink, light scent	deep green	early summer to late fall (Jun-Oct)
'Red' PP11836	○ ☞	36-42"	36-42"	semi-double, cherry-red, light scent	deep green	early summer to late fall (Jun-Oct)
Non-Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.						
'America'	○ ☞	60" or more	54-60"	salmon-pink, clove scent	deep green	mid summer to early fall (Jul-Sep)
'Blaze Improved'	○ ☞	60" or more	54-60"	brilliant red, light scent	medium green	mid summer to early fall (Jul-Sep)
'Don Juan'	○ ☞	60" or more	54-60"	bright red, strong scent	medium green	mid summer to early fall (Jul-Sep)
'Golden Showers'	○ ☞	60" or more	54-60"	large, sunny yellow, sweet honey scent	glossy, deep green	mid summer to early fall (Jul-Sep)
'Iceberg'	○ ☞	60" or more	54-60"	white, sweet scent	deep green	mid summer to early fall (Jul-Sep)
'Joseph's Coat'	○ ☞	60" or more	54-60"	red-yellow blend, light scent	glossy, medium green	mid summer to early fall (Jul-Sep)
Non-Patented Floribunda Roses : No other rose type offers as much color, with countless clusters of flowers.						
'Angel Face'	○ ☞	30-36"	30-36"	ruffled, deep mauve-lavender, strong lemon scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Charisma'	○ ☞	36-42"	30-36"	bright yellow, orange-red edges, light fruity scent	glossy, deep green	early summer to early fall (Jun-Sep)
'Europeana'	○ ☞	36-42"	30-36"	cardinal-red, light scent	deep bronze-green	early summer to early fall (Jun-Sep)
'Gene Boerner'	○ ☞	48-54"	42-48"	medium pink to deep pink blend	glossy, medium green	early summer to early fall (Jun-Sep)
'Iceberg'	○ ☞	48-54"	42-48"	cupped, white, light honey scent	glossy, light green	early summer to early fall (Jun-Sep)
'Sun Flare'	○ ☞	30-36"	30-36"	bright lemon-yellow, light fruity scent	glossy, deep green	early summer to early fall (Jun-Sep)
Non-Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.						
NEW 'Arizona'	○ ☞	48-54"	42-48"	golden-bronze and orange-yellow blend, strong sweet scent	glossy, medium to light green	early to late summer (Jun-Aug)
'Blue Girl'	○ ☞	42-48"	36-42"	lilac to lavender, silver overtones, moderate fruity scent	deep green	early to late summer (Jun-Aug)
NEW 'Broadway'	○ ☞	48-54"	42-48"	golden-yellow, reddish-pink edges and tips, strong spicy scent	semi-glossy, medium green	early to late summer (Jun-Aug)
'Chrysler Imperial'	○ ☞	48-54"	42-48"	deep red, strong scent	deep green	early to late summer (Jun-Aug)
<i>introduced in 1952, a classic</i>						
NEW 'First Prize'	○ ☞	54-60"	48-54"	light pink, rose-pink edges, moderate scent	deep green	early to late summer (Jun-Aug)
<i>a popular award-winner</i>						
NEW 'Gold Glow'	○ ☞	48-54"	42-48"	ruffled, bright yellow, moderate scent	glossy, deep green	early to late summer (Jun-Aug)
NEW 'Gold Medal'	○ ☞	60" or more	42-48"	golden-yellow, light orange tips, light fruity scent	tall, deep green	early to late summer (Jun-Aug)
'Heirloom'	○ ☞	36-42"	36-42"	cupped, magenta-rose, strong sweet scent	deep green	early to late summer (Jun-Aug)
'John F. Kennedy'	○ ☞	48-54"	42-48"	large, white, strong fruity scent	medium green	early to late summer (Jun-Aug)
<i>uncommonly fragrant for a white rose</i>						
'Miss All-American Beauty'	○ ☞	42-48"	36-42"	cupped, deep rose-pink, strong scent	medium green	early to late summer (Jun-Aug)
'Mister Lincoln'	○ ☞	48-54"	42-48"	large, deep red, strong scent	deep green	early to late summer (Jun-Aug)
NEW 'Moonlight Magic'	○ ☞	42-48"	42-48"	light lavender, light scent	medium green	early to late summer (Jun-Aug)
NEW 'Olympiad'	○ ☞	42-48"	42-48"	red, light fruity scent	medium green	early to late summer (Jun-Aug)
'Pascali'	○ ☞	48-54"	42-48"	white, light scent	deep green	early to late summer (Jun-Aug)
'Peace'	○ ☞	42-48"	42-48"	cream-yellow flushed with pink, light fruity scent	glossy, deep green	early to late summer (Jun-Aug)
'Perfume Delight'	○ ☞	48-54"	42-48"	rose-pink, strong sweet scent	medium green	early to late summer (Jun-Aug)
'Pink Peace'	○ ☞	54-60"	42-48"	pink, strong scent	medium green	early to late summer (Jun-Aug)
<i>still popular after 50+ years</i>						
NEW 'Proud Land'	○ ☞	42-48"	42-48"	large, deep red, light sweet scent	deep green	early to late summer (Jun-Aug)
'Queen Elizabeth'	○ ☞	54-60"	42-48"	light rose-pink blend, moderate scent	glossy, deep green	early to late summer (Jun-Aug)
<i>a true classic</i>						
NEW 'Red Masterpiece'	○ ☞	48-54"	42-48"	large, bright red, strong scent	deep green	early to late summer (Jun-Aug)
'Snowfire'	○ ☞	54-60"	42-48"	scarlet-red, white reverse, light scent	deep green	early to late summer (Jun-Aug)
'Touch of Class'	○ ☞	48-54"	42-48"	pink to coral-pink, light scent	semi-glossy, deep green	early to late summer (Jun-Aug)
'Tropicana'	○ ☞	42-48"	36-42"	coral-orange, strong fruity scent	glossy, deep green	early to late summer (Jun-Aug)

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
Patented Climbing Roses : Perfect for a backdrop to gardens, camouflaging fences, or screening unwanted views.							
NEW	'Angel Face'	○ ☞	60" or more	54-60"	ruffled, deep mauve-lavender, strong lemon scent	glossy, deep green	mid summer to early fall (Jul-Sep)
NEW	'Gold Glow'	○ ☞	60" or more	54-60"	ruffled, bright yellow, moderate scent	glossy, deep green	mid summer to early fall (Jul-Sep)
NEW	'Hot 'n Spicy'	○ ☞	60" or more	54-60"	bright orange-red, light scent	semi-glossy, medium green	mid summer to early fall (Jul-Sep)
NEW	'Royal America'	○ ☞	60" or more	54-60"	ivory white, light scent	medium to light green	mid summer to early fall (Jul-Sep)
	<i>sport of the popular 'America' rose</i>						
Patented Floribunda Roses : No other rose type offers as much color, with countless clusters of flowers.							
NEW	'Crimson Flame'	○ ☞	30-36"	30-36"	pink, red, yellow, and cream blend, some striped petals	medium green	early summer to early fall (Jun-Sep)
	'Mardi Gras'	○ ☞	36-42"	36-42"	yellow, orange, and pink blend, light scent	deep green	early summer to early fall (Jun-Sep)
	'Marmalade Skies'	○ ☞	36-42"	30-36"	tangerine-orange, light scent	glossy, medium green	early summer to early fall (Jun-Sep)
	'Rainbow Sorbet'	○ ☞	48-54"	42-48"	yellow-orange blend, pink edges	glossy, deep green	early summer to early fall (Jun-Sep)
	'Scentimental'	○ ☞	36-42"	36-42"	burgundy-red and white splashed, strong spicy scent	glossy, deep green	early summer to early fall (Jun-Sep)
Patented Hybrid Tea/Grandiflora Roses : Still the most popular rose type with classic bloom form, longer stems, and unmistakable fragrance.							
NEW	'Aztec Gold'	○ ☞	48-54"	42-48"	golden-yellow, light scent	glossy, deep green	early to late summer (Jun-Aug)
	'Crimson Bouquet'	○ ☞	48-54"	48-54"	bright garnet-red, light scent	glossy, deep green	early to late summer (Jun-Aug)
	'Dream Come True'	○ ☞	36-42"	36-42"	yellow with ruby-red edges	deep green	early to late summer (Jun-Aug)
	'Gemini'	○ ☞	54-60"	48-54"	coral-pink and cream blend	glossy, deep green	early to late summer (Jun-Aug)
NEW	'Hollywood Star'	○ ☞	48-54"	42-48"	light peach-pink and cream blend, light scent	semi-glossy, medium green	early to late summer (Jun-Aug)
NEW	'Love Me Tender'	○ ☞	48-54"	42-48"	deep and light orchid-pink blend, light scent	semi-glossy, medium green	early to late summer (Jun-Aug)
NEW	'Luscious'	○ ☞	48-54"	42-48"	magenta-purple, cream-yellow center and reverse, strong scent	glossy, deep green	early to late summer (Jun-Aug)
NEW	'Macho Man'	○ ☞	36-42"	36-42"	mauve-purple and lavender blend, sweet scent	medium green	early to late summer (Jun-Aug)
NEW	'Mom's Rose'	○ ☞	54-60"	48-54"	smoky pink, light fruit scent	semi-glossy, medium green	early to late summer (Jun-Aug)
	'Mt. Hood'	○ ☞	48-54"	42-48"	ivory-white to white	semi-glossy, medium green	early to late summer (Jun-Aug)
NEW	'O.L. Weeks'	○ ☞	54-60"	48-54"	deep red, light scent	semi-glossy, medium green	early to late summer (Jun-Aug)
	<i>one of Mr. Weeks' prized hybridizing results</i>						
NEW	'Peak Performance'	○ ☞	48-54"	42-48"	bright red, light scent	medium to deep green	early to late summer (Jun-Aug)
NEW	'Peter Mayle'	○ ☞	48-54"	42-48"	large, cupped, deep pink, strong old rose scent	glossy, deep green	early to late summer (Jun-Aug)
	'Pink Promise'	○ ☞	54-60"	48-54"	shades of soft light pink, light fruit scent	deep green	early to late summer (Jun-Aug)
	<i>official rose of the National Breast Cancer Foundation</i>						
NEW	'Sacred Heart'	○ ☞	48-54"	42-48"	bright crimson-red, light scent	semi-glossy, deep green	early to late summer (Jun-Aug)
NEW	'Silver Star'	○ ☞	48-54"	42-48"	deep and light orchid-pink blend, light scent	semi-glossy, medium green	early to late summer (Jun-Aug)
	'St. Patrick'	○ ☞	54-60"	48-54"	yellow with green overtones	semi-glossy, deep green	early to late summer (Jun-Aug)
	'Tahitian Sunset'	○ ☞	48-54"	42-48"	apricot-pink blend, strong licorice scent	semi-glossy, deep green	early to late summer (Jun-Aug)
NEW	'Traviata'	○ ☞	54-60"	48-54"	english-type, red, light scent	glossy, deep green	early to late summer (Jun-Aug)
Patented Shrub Roses : Easy to care for and versatile, shrub roses are some of the most hardy and maintenance-free roses available.							
NEW	'Forever & Ever Kardinal'	○ ☞	36-42"	30-36"	semi-double, deep red	deep green	early summer to late fall (Jun-Oct)
	<i>part of the 'Kolorscape' series, long-blooming</i>						
NEW	'Forever & Ever Lemon Fizz'	○ ☞	36-42"	30-36"	semi-double, light yellow	deep green	early summer to late fall (Jun-Oct)
	<i>part of the 'Kolorscape' series, long-blooming, an improved yellow</i>						
Smooth Touch Series : Blending the classic qualities of a hybrid tea with mostly thornless stems.							
	'Angel'	○ ☞	42-48"	36-42"	cream-white, light apricot-yellow center	glossy, deep green, thornless	early to late summer (Jun-Aug)
	'Buttercup'	○ ☞	36-42"	36-42"	bright yellow	glossy, deep green, thornless	early to late summer (Jun-Aug)
	'Delight'	○ ☞	36-42"	36-42"	shell-pink	glossy, deep green, thornless	early to late summer (Jun-Aug)
	'Moonlight'	○ ☞	36-42"	36-42"	light pink, petals tipped in deeper pink, fragrant	glossy, deep green, thornless	early to late summer (Jun-Aug)
	'Prince'	○ ☞	42-48"	36-42"	cerise-pink	glossy, deep green, thornless	early to late summer (Jun-Aug)
	'Queen'	○ ☞	36-42"	36-42"	yellow to golden-yellow	glossy, deep green, thornless	early to late summer (Jun-Aug)
RUDBECKIA (Black-Eyed Susan, Coneflower, Orange Coneflower)							
<i>Rudbeckia is a classic, and any garden can benefit from its late summer color and presence. R. hirta species prefers some winter protection/mulching.</i>							
fulgida							
	'Goldsturm'	○ ☞	24-30"	30-36"	golden-yellow, brown center cone	deep green	mid summer to early fall (Jul-Sep)
	<i>1999 PPA Perennial of the Year</i>						

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
hirta						
'Cappuccino'	○ ☞	18-24"	18-24"	burgundy-red with golden-yellow tips, brown center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Cherry Brandy'	○ ☞	12-18"	12-18"	burgundy-red to wine-red with a deep maroon center and blackish center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Denver Daisy'	○ ☞	18-24"	12-18"	bright golden-yellow with burgundy-brown centers, brown center cone	medium to light green, slightly hairy	mid summer to early fall (Jul-Sep)
'Prairie Sun'	○ ☞	30-36"	24-30"	bright golden-yellow drooping petals with a green center	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)
'Rustic Colors'	○ ☞	18-24"	18-24"	mixed and varied, combinations mostly of rust-red, copper-orange, and burgundy	fuzzy, medium to light green	mid summer to early fall (Jul-Sep)

SAGINA (Corsican Pearlwort)

A nice choice for in between rockery, brickwork, or pavers. Prefers extra moisture if planted in full sun.

subulata						
subulata	○ ☞ ☂	6" or less	6-12"	white, dainty	moss-like, light green	early to mid summer (Jun-Jul)

SALVIA (Sage)

Cutting back foliage after flowering will take care of unattractive foliage and promote repeat blooming.

Hybrid						
'Madeline' PP20456	○ ☞	24-30"	24-30"	violet blue, white lower lip	fragrant, medium green	early to mid summer (Jun-Jul)
memorosa						
'Caradonna'	○ ☞	24-30"	24-30"	spikes are light purple with purple stems	fragrant, medium green	early to late summer (Jun-Aug)
<i>a more upright habit than most Salvia</i>						
'East Friesland'	○ ☞	18-24"	24-30"	spikes are violet-purple	fragrant, medium green, mounding	early to late summer (Jun-Aug)
'Marcus' PP13322	○ ☞	6-12"	12-18"	deep violet-purple	compact, medium green	early to late summer (Jun-Aug)
'May Night'	○ ☞	18-24"	24-30"	spikes are deep violet-blue to purple	fragrant, medium green	early to late summer (Jun-Aug)
<i>1997 PPA Perennial of the Year</i>						
NEW 'New Dimension Blue'	○ ☞	12-18"	12-18"	spikes are violet-blue	fragrant, medium green, purple stems, compact	early to late summer (Jun-Aug)
NEW 'New Dimension Rose'	○ ☞	12-18"	12-18"	spikes are rose-pink	fragrant, medium green, purple stems, compact	early to late summer (Jun-Aug)
'Sensation Rose' PP18230	○ ☞	6-12"	6-12"	spikes are bright rose-pink	compact, fragrant, medium green	early to mid summer (Jun-Jul)
'Snow Hill'	○ ☞	18-24"	24-30"	spikes are white	fragrant, medium green	early to late summer (Jun-Aug)

SAPONARIA (Bouncing Bet, Soapwort)

Saponaria comes from the Latin *sapo*, meaning soap. Many species contain root sap that lathers when mixed with water.

ocymoides (Soapwort)						
ocymoides	○ ☞	6-12"	18-24"	light pink	medium green, spreading	late spring to early summer (May-Jun)

SAXIFRAGA (Rockfoil, Saxifrage)

Keep moist if planted in full sun.

x arendsii						
'Mossy Species Mix'	○ ☞ ☂	6" or less	6-12"	mostly shades of pink and rose-pink with some white	moss-like, compact, light green	late spring to early summer (May-Jun)

SCABIOSA (Pincushion Flower)

Reliability can be improved with winter mulching. Prune foliage back after blooming to promote new growth and repeat blooms. An absolute must-have if you want to attract butterflies!

colombaria						
'Butterfly Blue'	○ ☞	12-18"	6-12"	pincushion-like, lavender-blue	medium green, compact	early summer to early fall (Jun-Sep)
<i>2000 PPA Perennial of the Year</i>						

SEDUM (Live-Forever, Stonecrop)

Stonecrop comes from the manner by which many species seem to flourish on rockery. Sedum is one of the easiest perennials to grow and maintain with excellent drought resistant qualities.

album (White Flowered Sedum)						
'Coral Carpet'	○ ☞	6" or less	30-36"	clusters are ivory-white	gray-green maturing to red, spreading, succulent	early to mid summer (Jun-Jul)
Hybrid						
'Autumn Fire'	○ ☞	24-30"	24-30"	heads are rose-red maturing to copper-red	succulent, light green	late summer to late fall (Aug-Oct)
'Lime Zinger' PPAF	○ ☞	6" or less	12-18"	large, heads are pink	succulent, light green edged in cherry-red, compact	late summer to late fall (Aug-Oct)
<i>part of the Sunsparkler series</i>						
'Matrona'	○ ☞	18-24"	24-30"	heads are mauve-pink	succulent, gray-green with rose-pink highlights, purple stems	mid summer to early fall (Jul-Sep)
'Pure Joy' PPAF	○ ☞	6-12"	12-18"	heads are light pink to lavender	succulent, toothed, blue-green maturing to green, compact	late summer to early fall (Aug-Sep)
kamtschaticum (Russian Stonecrop)						
kamtschaticum	○ ☞	6-12"	30-36"	clusters are lemon-yellow to golden-orange	succulent, spreading, medium green	early to mid summer (Jun-Jul)
pluricaule						
'Ezawe'	○ ☞	6" or less	18-24"	clusters are dusty pink	blue-green with showy reddish-purple highlights, succulent	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
reflexum						
'Blue Bird' PPAF	○ ☞	6" or less	24-30"	clusters are lemon-yellow	resembles spruce needles, gray-green maturing to medium blue, red-purple tinged in fall, spreading	early to mid summer (Jun-Jul)
'Blue Magic' PPAF	○ ☞	6" or less	24-30"	clusters are yellow	resembles spruce needles, steel-gray, burgundy-red highlights, spreading	early to mid summer (Jun-Jul)
'Moonshadow' PPAF	○ ☞	6" or less	24-30"	clusters are bright yellow	resembles spruce needles, sulfur-yellow, spreading	early to mid summer (Jun-Jul)
'Solar Spice' PP23392	○ ☞	6" or less	24-30"	clusters are yellow	resembles spruce needles, bright yellow tinged with orange-red, spreading	late spring to early summer (May-Jun)
'Spring Green' PP23648	○ ☞	6" or less	24-30"	clusters are yellow	resembles spruce needles, bright lime-green, spreading	late spring to early summer (May-Jun)
repestre						
'Angelina'	○ ☞	6" or less	24-30"	clusters are yellow	needle-like, chartreuse to yellow turning reddish-orange in fall and winter, spreading	early to late summer (Jun-Aug)
ruprechtii						
'Hab Gray'	○ ☞	12-18"	18-24"	clusters are cream-yellow	compact, gray-green, arching stems	mid to late summer (Jul-Aug)
sieboldii (October Daphne)						
sieboldii	○ ☞	6" or less	18-24"	clusters are pink	succulent, powdery-blue edged in burgundy, spreading	late summer to early fall (Aug-Sep)
spectabile						
'Brilliant'	○ ☞	18-24"	18-24"	heads are rose-pink	succulent, light green	late summer to late fall (Aug-Oct)
spurium (Two-Row Sedum)						
'Fulda Glut'	○ ☞	6" or less	30-36"	clusters are hot-pink	succulent, spreading, bronze to burgundy-red	early to late summer (Jun-Aug)
<i>best foliage color comes with full sunlight and mature plants</i>						
'Voodoo'	○ ☞	6" or less	30-36"	clusters are deep red	succulent, olive-green with red margins maturing to mahogany-red, spreading	early to late summer (Jun-Aug)

SEMPERVIVUM (Hens and Chicks, Houseleek, Live-Forever)

An excellent plant for the poorest of soils. Superstitions abound for its ability to repel lightning and fire.

tectorum						
'Mixed'	○ ☞	6" or less	6-12"	clusters are mixed (one color per plant) light pink, rose-pink, or white	succulent, mixed varieties with various shades of green, red, burgundy, pink, or purple	early to mid summer (Jun-Jul)

SHRUB ACER (Maple)

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

griseum (Paperbark Maple)						
NEW griseum	○ ☞	60" or more	60" or more		medium green, red fall color	
<i>slow growing, interesting cinnamon-brown flaking bark</i>						
palmatum / dissectum (Japanese Maple)						
'Bloodgood'	○ ☞	60" or more	60" or more		deeply-lobed leaves, burgundy red, slow-growing, upright	
'Crimson Queen'	○ ☞ ☂	60" or more	60" or more		deeply lobed leaves, burgundy red, slow-growing, semi-upright, grows to 12'	
'Tamukeyama'	○ ☞ ☂	60" or more	60" or more		lace-leaf type, burgundy red, slow-growing	

SHRUB AZALEA (Azalea) : prefers acidic soil if possible.

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Rhododendron x						
'Girard Christina Marie'	○ ☞ ☂	30-36"	30-36"	pink	glossy, medium green	late spring (May)
'Girard Crimson'	○ ☞ ☂	24-30"	24-30"	rose-red	glossy, medium green	late spring (May)
'Girard Hot Shot Red'	○ ☞ ☂	24-30"	24-30"	orange-red	glossy, medium green, bronze highlights in fall	late spring (May)
'Girard Renee Michelle'	○ ☞ ☂	30-36"	30-36"	deep pink, spotted throat	glossy, medium green	late spring (May)
'Girard Rose'	○ ☞ ☂	30-36"	30-36"	deep rose-red	glossy, medium green	late spring (May)

SHRUB BERBERIS (Barberry)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

thunbergii						
'Crimson Pygmy'	○ ☞ ☂	24-30"	24-30"		compact habit, reddish-purple	
<i>can tolerate shade but more sun will yield better color</i>						

SHRUB BUXUS (Boxwood)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid						
'Green Mountain'	○ ☞ ☂	36-42"	24-30"		deep green, glossy, pyramidal growth	
'Winter Gem'	○ ☞ ☂	24-30"	24-30"		medium green, glossy, compact, round growth habit	

SHRUB CHAENOMELES (Quince)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid							
	'Double Take Orange Storm'	○ ☞	48-54"	48-54"	large, double, bright orange	thornless, deep green, glossy	early to late spring (Apr-May)
	'Double Take Pink Storm'	○ ☞	48-54"	48-54"	large, double, rose-pink	thornless, deep green, glossy	early to late spring (Apr-May)
	'Double Take Scarlet Storm'	○ ☞	48-54"	48-54"	large, double, deep red	thornless, deep green, glossy	early to late spring (Apr-May)

SHRUB CORNUS (Dogwood)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

kousa (Kousa Dogwood)							
NEW	'Wolf Eyes'	○ ☞	60" or more	60" or more	white, bright red berries	woody, variegated bright green with white margins, wavy leaves	late spring to early summer (May-Jun)
sericea (Red Twig Dogwood)							
NEW	'Bailey'	○ ☞	60" or more	54-60"	white, blue/purple berries	woody, medium green, red stems, burgundy-red fall foliage	mid to late summer (Jul-Aug)

SHRUB DEUTZIA (Deutzia)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

gracilis							
	'Chardonnay Pearls' PP16098	○ ☞	30-36"	30-36"	white, fragrant	lime-yellow	late spring to early summer (May-Jun)

SHRUB EUONYMUS (Burning Bush)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

alatus							
	'Compacta'	○ ☞	54-60"	48-54"		deep green, turns red to burgundy-red in fall	
	'Fire Ball'	○ ☞	54-60"	48-54"		deep green, turns bright red to burgundy-red in fall	

SHRUB FAGUS (Beech)

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

sylvatica							
NEW	'Dawyck Purple' <i>slow growing, narrow habit</i>	☞	60" or more	60" or more		deep purple, upright narrow habit, grows to 30'	
	'Purple Fountain' <i>slow growing, weeping habit</i>	☞	60" or more	60" or more		cascading branches, dark purple-bronze, weeping narrow habit, grows to 25'	
NEW	'Roseo Marginata'	☞	60" or more	60" or more		variegated purple, pink, and green leaves, upright habit, grows to 30'	

SHRUB HIBISCUS (Rose of Sharon)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

syriacus : A slight pruning in late spring will usually keep plants shorter and more compact if desired.							
	'Chiffon Blue' PP20574	○ ☞	60" or more	60" or more	double, rich blue to violet, lacy center row of petals	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
NEW	'Chiffon Combo'	○ ☞	60" or more	60" or more	double, pink and white flowers within the same clump/pot, lacy center row of petals	woody, medium green, semi-glossy	mid summer to early fall (Jul-Sep)
	'Sugar Tip' PPAF	○ ☞	60" or more	60" or more	double, pink	variegated, blue-green with cream-white edges	mid summer to early fall (Jul-Sep)

SHRUB HYDRANGEA (Hydrangea)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

arborescens : Can be pruned each fall.							
	'Annabelle' <i>still a popular choice for a reliable hydrangea</i>	○ ☞ ☀	48-54"	42-48"	large, round, white	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
	'Incrediball' PP20571 <i>a larger-flowered Annabelle-type hydrangea</i>	○ ☞ ☀	42-48"	42-48"	very large, round, white	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
	'Invincibelle Spirit' PP20920 <i>first ever pink-flowered Annabelle-type hydrangea, a percentage of proceeds to benefit breast cancer research</i>	○ ☞ ☀	42-48"	42-48"	large, round, deep pink maturing to lighter pink	woody, medium to light green, semi-glossy	late spring to mid summer (May-Jul)
macrophylla (Bigleaf Hydrangea) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
	'Endless Summer' ('Bailmer' PP15298) <i>blooms appear on new growth/wood giving extended bloom time</i>	○ ☞ ☀	42-48"	42-48"	pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Endless Summer Twist & Shout' PPAF <i>newer variety, blooms appear on new growth/wood giving extended bloom time</i>	○ ☞ ☀	42-48"	42-48"	lacecap-shaped, pink (alkaline) or blue (acidic)	woody, deep green, burgundy tints in fall, pruning only needed for shaping	early to late summer (Jun-Aug)
macrophylla (Bigleaf Hydrangea, Abracadabra Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
	'Orb' PP21635	○ ☞ ☀	36-42"	30-36"	mophead-shaped, rose-pink and green (alkaline) or blue (acidic)	woody, deep green, black stems, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Star' PP21636	○ ☞ ☀	36-42"	30-36"	flat mophead-shaped, hot pink (alkaline) or blue (acidic)	woody, deep green, black stems, pruning only needed for shaping	early to late summer (Jun-Aug)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME	
macrophylla (Bigleaf Hydrangea, Cityline Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
	'Mars' PPAF	○ ☞ ☀	30-36"	30-36"	mophead-shaped, white with pink centers (alkaline) or light lavender with light pink centers (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Paris' PP10906	○ ☞ ☀	30-36"	30-36"	mophead-shaped, rose-red (alkaline) or lavender (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Venice' PP10928	○ ☞ ☀	30-36"	30-36"	mophead-shaped, deep pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Vienna' PP10930	○ ☞ ☀	30-36"	30-36"	mophead-shaped, fuchsia-pink (alkaline) or violet-blue (acidic)	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
macrophylla (Bigleaf Hydrangea, Double Delights Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
	'Expression'	○ ☞ ☀	36-42"	30-36"	double, large, mophead-shaped, light pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
NEW	'Freedom' PP21052	○ ☞ ☀	36-42"	30-36"	double, large, mophead-shaped, white with light pink (alkaline) or lavender (acidic) center blush	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
NEW	'Wedding Gown' PP21052	○ ☞ ☀	36-42"	30-36"	double, large, lacecap-shaped, white	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
macrophylla (Bigleaf Hydrangea, Forever & Ever Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
	'Blue Heaven' PP18823	○ ☞ ☀	30-36"	30-36"	large, mophead-shaped, pink (alkaline) or blue (acidic)	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
	'Fantasia' PP21169	○ ☞ ☀	30-36"	30-36"	large, mophead-shaped, lime-green and pink, richness of color depends on soil pH	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
	'Peace' PP22025	○ ☞ ☀	30-36"	30-36"	mophead-shaped, double, white	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
	'Pistachio' ('Horwack' PPAF)	○ ☞ ☀	30-36"	30-36"	mophead-shaped, scarlet-red to burgundy, tinged with green	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
	'Red' ('Maltise' PP18450)	○ ☞ ☀	30-36"	30-36"	mophead-shaped, rose-red maturing to shades of purple, richness of color depends on soil pH	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
	'Together' ('REI05' PPAF)	○ ☞ ☀	30-36"	30-36"	double, mophead-shaped, light green maturing to rich pink (alkaline) or vivid blue (acidic)	woody, deep green, pruning only needed for shaping	early summer to early fall (Jun-Sep)
macrophylla (Bigleaf Hydrangea, Let's Dance Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
	'Big Easy' PPAF <i>repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	large, mophead-shaped, deep rose-pink (alkaline) or lavender-blue (acidic), chartreuse tints	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Moonlight' PP20020 <i>foliage turns bronze in fall, repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	mophead-shaped, deep rose-pink (alkaline) or lavender-blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Starlight' ('Lynn' PP20019) <i>repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	lacecap-shaped, rich pink (alkaline) or bright blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
macrophylla (Bigleaf Hydrangea, Next Generation Series) : Flower color will depend on soil pH. Generally, add dolomitic lime = higher pH = more pink; add aluminum sulfate = lower pH = more blue. Pruning usually not needed, prune only for shaping.							
NEW	'Pistachio' <i>repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	mophead-shaped, tri-colored blend of lime-green, scarlet-red, maroon	woody, deep green, pruning only needed for shaping	early to late summer (Jun-Aug)
	'Red Sensation' <i>repeat bloomer</i>	○ ☞ ☀	30-36"	30-36"	mophead-shaped, rich pink (alkaline) or bright blue (acidic)	woody, deep green, strong stems, pruning only needed for shaping	early to late summer (Jun-Aug)
paniculata (Hardy Hydrangea) : Prune in fall if necessary.							
	'Limelight' ('Zwijenburg' PP12874)	○ ☞ ☀	54-60"	54-60"	conical-shaped, white to lime-green maturing with pinkish tones	woody, medium green	mid summer to early fall (Jul-Sep)
	'Little Lime' ('Jane' PPAF)	○ ☞ ☀	42-48"	42-48"	conical-shaped, white to lime-green maturing with pinkish tones	compact, woody, medium green	mid summer to early fall (Jul-Sep)
	'Pinky Winky' PP16166	○ ☞ ☀	54-60"	54-60"	conical-shaped, large, flower heads are white maturing to pink	woody, deep green	mid summer to early fall (Jul-Sep)
	'Quick Fire' PPAF <i>regular and tree forms should be available</i>	○ ☞ ☀	60" or more	54-60"	semi-conical, large, flower heads are white maturing to light	woody, medium green, reddish stems	early to late summer (Jun-Aug)
SHRUB ILEX (Holly)							
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>							
meserveae (Blue Holly)							
	'Blue Prince'	○ ☞ ☀	48-54"	48-54"	insignificant flower	glossy, deep green	early to late fall (Sep-Oct)
NEW	'Blue Prince & Princess' <i>combination planter of both male and female varieties, no need for separate plants/pollinators</i>	○ ☞ ☀	48-54"	48-54"	insignificant flower, red berries in fall	glossy, deep green	early to late fall (Sep-Oct)
	'Blue Princess' <i>requires a male pollinator ('Blue Prince') for berry production</i>	○ ☞ ☀	48-54"	48-54"	insignificant flower, red berries in fall	glossy, deep green	early to late fall (Sep-Oct)
verticillata (Winterberry)							
NEW	'Jim Dandy' <i>male pollinator for 'Red Sprite'</i>	○ ☞	54-60"	42-48"	insignificant flower	glossy, medium green	

		LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
NEW	'Red Sprite' <i>female, use 'Jim Dandy' for male pollinator</i>	○ ☞	54-60"	42-48"	insignificant flower, red berries in late fall/winter	glossy, medium green	early to late fall (Sep-Oct)

SHRUB JUNIPERUS (Juniper)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

communis

NEW	'Gold Cone' (Spiral) <i>keep pruned for continued spiral shape, best gold color in sunny areas</i>	○ ☞ ☰	54-60"	36-42"		upright, pyramidal habit, bright gold to green	
------------	---	-------	--------	--------	--	--	--

squamata

NEW	'Blue Star' (Tree Form) <i>grafted tree form</i>	○ ☞ ☰	36-42"	42-48"		silver-blue needles	
------------	---	-------	--------	--------	--	---------------------	--

SHRUB LYCIUM (Goji Berry)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

barbarum

NEW	'Big Lifeberry' <i>excellent for cooking</i>	○ ☞	60" or more	60" or more	bright red fruit	medium green, grows to 10'	mid to late summer (Jul-Aug)
------------	---	-----	-------------	-------------	------------------	----------------------------	------------------------------

NEW	'Sweet Lifeberry' <i>perfect for snacking</i>	○ ☞	60" or more	60" or more	bright red fruit	medium green, grows to 10'	mid to late summer (Jul-Aug)
------------	--	-----	-------------	-------------	------------------	----------------------------	------------------------------

SHRUB MALUS (Apple, Crabapple)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid (Columnar Apple) : compact varieties, great for containers or tight spaces, hardy and will pollinate each other.

NEW	'Golden Sentinel'	○ ☞	60" or more	42-48"	golden-yellow fruit	medium green	early to late fall (Sep-Oct)
------------	-------------------	-----	-------------	--------	---------------------	--------------	------------------------------

NEW	'Northpole' <i>Macintosh-type</i>	○ ☞	60" or more	42-48"	bright red fruit	medium green	early to late fall (Sep-Oct)
------------	--------------------------------------	-----	-------------	--------	------------------	--------------	------------------------------

NEW	'Scarlet Sentinel'	○ ☞	60" or more	42-48"	green-yellow fruit	medium green	early to late fall (Sep-Oct)
------------	--------------------	-----	-------------	--------	--------------------	--------------	------------------------------

Hybrid (Crabapple)

NEW	'Robinson'	○ ☞	60" or more	60" or more	red buds maturing to light pink flowers	medium green	late spring (May)
------------	------------	-----	-------------	-------------	---	--------------	-------------------

SHRUB PHYSOCARPUS (Ninebark)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

opulifolius

	'Summer Wine' PP14821	○ ☞	60" or more	48-54"	clusters are cream-white	wine-purple, woody	early to mid summer (Jun-Jul)
--	-----------------------	-----	-------------	--------	--------------------------	--------------------	-------------------------------

SHRUB PICEA (Spruce)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

abies

	'Pendula' <i>better known as Weeping Norway Spruce</i>	○ ☞ ☰	60" or more	54-60"		upright, staked, cascading branches, deep green, grows to 8'	
--	---	-------	-------------	--------	--	--	--

glauca

	'Conica' <i>will grow to 10' but very slow-growing, great as an accent plant</i>	○ ☞ ☰	60" or more	54-60"		slow-growing, medium green	
--	---	-------	-------------	--------	--	----------------------------	--

SHRUB PINUS (Pine)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

strobus

NEW	'Pendula'	○ ☞	60" or more	60" or more		upright, cascading branches, blue-green, grows to 18'	
------------	-----------	-----	-------------	-------------	--	---	--

SHRUB PRUNUS

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

subhirtella (Weeping Cherry)

	'Pendula Pleno Rosea'	○ ☞	60" or more	54-60"	double, pink	deep green, grafted	early to late spring (Apr-May)
--	-----------------------	-----	-------------	--------	--------------	---------------------	--------------------------------

SHRUB RHAMNUS (Buckthorn)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

frangula

	'Fine Line' PP14791 <i>a nice alternative for a tall accent plant in the garden or container</i>	○ ☞ ☰	60" or more	30-36"		fern-like, columnar habit, medium green	
--	---	-------	-------------	--------	--	---	--

SHRUB RHODODENDRON (Rhododendron)

Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.

Hybrid

	'Boursalt'	☞ ☰	54-60"	54-60"	clusters are medium purple	glossy, deep green	late spring to early summer (May-Jun)
--	------------	-----	--------	--------	----------------------------	--------------------	---------------------------------------

	'Nova Zembla'	☞ ☰	54-60"	48-54"	clusters are raspberry-red	glossy, deep green	late spring to early summer (May-Jun)
--	---------------	-----	--------	--------	----------------------------	--------------------	---------------------------------------

NEW	'PJM Compacta'	☞ ☰	36-42"	36-42"	clusters are lavender-pink	glossy, deep green, mahogany fall color	late spring to early summer (May-Jun)
------------	----------------	-----	--------	--------	----------------------------	---	---------------------------------------

	'Roseum'	☞ ☰	54-60"	54-60"	clusters are light purple to lavender	glossy, deep green	late spring to early summer (May-Jun)
--	----------	-----	--------	--------	---------------------------------------	--------------------	---------------------------------------

roseum

	'Elegans'	☞ ☰	60" or more	60" or more	clusters are lilac-pink	glossy, deep green	late spring to early summer (May-Jun)
--	-----------	-----	-------------	-------------	-------------------------	--------------------	---------------------------------------

SHRUB SALIX (Willow)

Listed as part of our foliar and flowering line of small shrubs, but obviously an ornamental tree.

integra

	'Flamingo' PP17490	○ ☞ ☰	36-42"	24-36"		deep pink in spring, retains pink tints throughout season	
--	--------------------	-------	--------	--------	--	---	--

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Hakuro Nishiki'	○ ☞ ☛	60" or more	60" or more		variegated white and green, some pink highlights and stems	
'Hakuro Nishiki' (Tree Form)	○ ☞ ☛	60" or more	60" or more		variegated white and green, some pink highlights and stems, tree form	
SHRUB SAMBUCUS (Elderberry)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>nigra</i>						
'Black Lace' PP15575	○ ☞	60" or more	54-60"	clusters are pink	woody, lacy, maple-like, purple-black	early to mid summer (Jun-Jul)
<i>an excellent contrast plant</i>						
SHRUB SPIREA (Spirea)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>japonica</i>						
'Gold Mound'	○ ☞ ☛	24-30"	30-36"	pink	golden-yellow maturing to green-yellow	early to late summer (Jun-Aug)
<i>can tolerate shade but more sun will yield better color</i>						
'Little Princess'	○ ☞ ☛	30-36"	30-36"	clusters are pink maturing to light pink	medium to light green	early to mid summer (Jun-Jul)
'Magic Carpet' PP9363	○ ☞ ☛	18-24"	24-30"	pink-purple	reddish-purple maturing to golden-yellow	early to late summer (Jun-Aug)
<i>can tolerate shade but more sun will yield better color</i>						
'Neon Flash'	○ ☞ ☛	30-36"	30-36"	rose-red	reddish maturing to deep green	early to mid summer (Jun-Jul)
NEW 'Shirobana'	○ ☞ ☛	24-30"	24-30"	deep rose-pink	medium to deep green	early to mid summer (Jun-Jul)
<i>nipponica</i>						
'Snowmound'	○ ☞ ☛	48-54"	48-54"	white	medium green	late spring to early summer (May-Jun)
<i>can be pruned hard to keep compact</i>						
SHRUB SYRINGA (Lilac)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>Hybrid</i>						
NEW 'Bloomerang Dark Purple' PPAF	○ ☞	54-60"	48-54"	rounded, bright purple, fragrant	medium to deep green	late spring to early fall (May-Sep)
<i>repeat bloomer with spring color repeating in summer and fall</i>						
'Bloomerang' PP20575	○ ☞	48-54"	42-48"	purple to lavender, fragrant	medium to deep green	late spring to early fall (May-Sep)
<i>repeat bloomer with spring color repeating in summer and fall</i>						
<i>patula (Manchurian Lilac)</i>						
'Miss Kim'	○ ☞	54-60"	48-54"	pink to lavender-purple, fragrant	medium to deep green	early to late spring (Apr-May)
SHRUB THUJA (Arborvitae)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>occidentalis</i>						
NEW 'Anna's Magic Ball' PPAF	○ ☞ ☛	12-18"	12-18"		compact, bright gold, round habit	
<i>perfect for accenting in containers</i>						
'Emerald Green' ('Smaragd')	○ ☞ ☛	60" or more	48-54"		bright green, columnar habit, grows 10-15'	
<i>a popular and reliable selection for hedges and privacy screens</i>						
SHRUB VIBURNUM						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>nudum</i>						
'Brandywine' ('Bulk')	○ ☞	54-60"	54-60"	white, clusters of green, pink, and blue berries	deep green, glossy	late spring to mid summer (May-Jul)
<i>opulus (Common Snowball)</i>						
'Roseum'	○ ☞	60" or more	60" or more	clusters of white	medium green	late spring to early summer (May-Jun)
<i>can prune back hard to keep compact</i>						
SHRUB WEIGELA (Weigela)						
<i>Part of our foliar and flowering line of small shrubs that can be integrated nicely within existing perennial gardens.</i>						
<i>florida</i>						
'Minuet'	○ ☞ ☛	30-36"	30-36"	ruby-red	medium green, compact	late spring to mid summer (May-Jul)
'Wine & Roses' PP10772	○ ☞ ☛	36-42"	42-48"	pink	deep purple to burgundy	late spring to mid summer (May-Jul)
SISYRINCHIUM (Blue-eyed Grass)						
<i>Sisyrinchium is often overlooked and under-used, try it as an edging plant or small-scale groundcover. Long-blooming and looks nice even when not in bloom.</i>						
<i>californicum (Yellow-Eyed Grass)</i>						
'Yellowstone'	○ ☞	6-12"	6-12"	star-shaped, bright yellow	grass-like, medium to deep green	late spring to mid summer (May-Jul)
<i>Hybrid</i>						
'Lucerne'	○ ☞	6-12"	6-12"	bright blue with gold centers	grass-like, medium to deep green	late spring to mid summer (May-Jul)
<i>formerly listed as S. bermudianum</i>						
STACHYS (Lamb's Ears, Woolly Betony)						
<i>Best results will be appreciated if planted in well-drained soil.</i>						
<i>monnieri (Common Betony)</i>						
'Hummelo'	○ ☞	18-24"	18-24"	spikes are lavender-rose	medium green	early to late summer (Jun-Aug)
TANACETUM (Painted Daisy)						
<i>Tanacetum make excellent cut flowers. Prune foliage back after blooming to promote new growth and repeat blooms.</i>						
<i>coccineum</i>						
'Robinson Hybrids'	○ ☞	18-24"	18-24"	mixed (one color per plant) pink, rose-red, or white (dominant color is rose-red)	ferry, deep green	early to mid summer (Jun-Jul)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
THALICTRUM (Meadow Rue)						
<i>rochebrunianum</i>						
'Lavender Mist'	☉ ☁	54-60"	42-48"	sprays are lavender-pink	medium to gray-green, purple-tinted stems	mid to late summer (Jul-Aug)
THYMUS (Thyme)						
<i>Many varieties of Thyme are good choices for in-between pavers or brickwork.</i>						
<i>praecox (Mother-of-Thyme)</i>						
'Coccineus'	☉ ☁	6" or less	30-36"	magenta-red to pink	fragrant, deep green, turns bronze in fall, spreading	late spring to mid summer (May-Jul)
<i>serpyllum</i>						
'Magic Carpet'	☉ ☁	6" or less	30-36"	pink	deep green, spreading, lemon-scent	late spring to early summer (May-Jun)
'Pink Chintz'	☉ ☁	6" or less	18-24"	salmon-pink	fuzzy, gray-green, spreading, fragrant, compact	late spring to early summer (May-Jun)
TIARELLA (False Miterwort, Foam Flower)						
<i>Tiarella is from the Greek word tiara, a small crown, which refers to its flowers.</i>						
<i>Hybrid</i>						
'Spring Symphony' PP12397	☁	6-12"	12-18"	spikes are pale to deep pink, fragrant	medium green, burgundy-red speckled centers, deeply dissected	late spring to mid summer (May-Jul)
TRADESCANTIA (Spiderwort, Widow's Tears)						
<i>Flowers will close during the daytime hours if planted in full sunlight.</i>						
<i>Hybrid (Charm Series)</i>						
'Sunshine Charm' PP21480	☉ ☁	6-12"	12-18"	triangular-shaped, lavender-pink	grass-like, chartreuse to bright gold, more gold color if in sunny areas, compact	late spring to late summer (May-Aug)
<i>x andersoniana / virginiana</i>						
'Bilberry Ice'	☉ ☁	12-18"	18-24"	triangular-shaped, white with lavender-splashed centers	grass-like, medium green, compact	early summer to early fall (Jun-Sep)
'Snowcap'	☉ ☁	18-24"	18-24"	triangular-shaped, pure white	grass-like, medium green	early to late summer (Jun-Aug)
'Zwanenberg Blue'	☉ ☁	18-24"	24-30"	violet-purple	medium green, vigorous	early summer to early fall (Jun-Sep)
TRICYRTIS (Orchid Flower, Toad Lily)						
<i>Tricyrtis is best used if it can be seen up close, as the flowers are unique but not showy from a distance.</i>						
<i>hirta</i>						
'Miyazaki Hybrids'	☁	24-30"	24-30"	orchid-like, white with large purple spots	soft, light green, arching stems	late summer to early fall (Aug-Sep)
TROLLIUS (Gloeflower)						
<i>Moisture is absolutely necessary for Trollius, especially if in sunny areas.</i>						
<i>x cultorum</i>						
'New Moon'	☉ ☁	18-24"	12-18"	round and cup-shaped, cream-yellow	deep green	late spring to early summer (May-Jun)
VERBENA (Vervain)						
<i>We like the naturalizing effect this type of Verbena gives. But it will reseed readily, so a quick weeding out of seedlings in the spring should keep it contained to your desired area.</i>						
<i>bonariensis</i>						
'bonariensis'	☉ ☁	42-48"	60" or more	purple to lavender	semi-woody, strong stems, medium green	early to late summer (Jun-Aug)
<i>a must-have for any butterfly garden</i>						
VERONICA (Speedwell)						
<i>Blackening and deteriorating foliage is normal throughout the season, but pruning regularly will alleviate these problems.</i>						
<i>incana</i>						
'Giles van Hees'	☉ ☁	6-12"	18-24"	spikes are bright pink	medium to deep green	early to late summer (Jun-Aug)
<i>longifolia</i>						
'Waterperry Blue'	☉ ☁	6" or less	18-24"	spikes are sky-blue to lavender with some deeper veining	spreading, medium green, turns bronze in fall	early to mid summer (Jun-Jul)
<i>repens (Creeping Speedwell)</i>						
'Sunshine'	☉ ☁	6" or less	24-30"	spikes are blue	mat-like, chartreuse-gold	early to mid summer (Jun-Jul)
<i>spicata</i>						
'Purpleicious' PP17639	☉ ☁	18-24"	18-24"	spikes are purple-blue	deep green	early to late summer (Jun-Aug)
'Red Fox'	☉ ☁	12-18"	18-24"	spikes are hot rose-pink	medium to light green	early to mid summer (Jun-Jul)
'Royal Candles' PP18432	☉ ☁	12-18"	18-24"	spikes are violet-blue	deep green, crinkled	early to late summer (Jun-Aug)
<i>an improved variety over V. 'Sunny Border Blue'</i>						
VINCA (Myrtle, Periwinkle)						
<i>A venerable and popular groundcover. Keep moist if planted in sunny locations, and allow a year or two to get established. Once established, it is maintenance-free.</i>						
<i>minor</i>						
'Bowles'	☉ ☁	6" or less	24-30"	large, violet-blue	glossy, deep green, spreading	early spring to early summer (Apr-Jun)
'Ralph Shugert'	☉ ☁	6" or less	24-30"	lilac-blue to violet	glossy, deep green with white margins, spreading	early spring to early summer (Apr-Jun)
VIOLA (Hardy Violet)						
<i>Dead-heading and trimming of most varieties will keep plants blooming. Plant in partial shade for best summer color as Viola prefer cooler temps. Also keep moist if in full sun.</i>						
<i>cornuta</i>						
'Black Magic'	☉ ☁	6-12"	12-18"	deep blackish-purple	medium to deep green, may reseed	early spring to early summer (Apr-Jun)

	LIGHT	HEIGHT	SPREAD	FLOWER	FOLIAGE	BLOOM TIME
'Purple Showers' <i>one of our longest bloomers, especially if given some shade for those summer months</i>	○ ☞ ☰	6-12"	12-18"	rich royal purple	medium to deep green	late spring to early fall (May-Sep)
Hybrid						
'Angel Amber Kiss' <i>large flowers and improved winter hardiness</i>	○ ☞ ☰	6-12"	12-18"	yellow with black whiskers and rust-orange to red margins	medium to deep green	early spring to mid summer (Apr-Jul)
'Angel Tiger Eye' <i>large flowers and improved winter hardiness</i>	○ ☞ ☰	6-12"	12-18"	golden-yellow with black to purple etched veins	medium to deep green	early spring to mid summer (Apr-Jul)

WATER/POND PLANTS : An assortment of water-loving plants for your pond or wet area. Call or email for specific availability.

WISTERIA

Be patient! Wisteria, unless bought at a very mature age, takes at least 4-5 years to significantly flower. Try not to fertilize for best flowering results.

frutescens (American Wisteria)

'Amethyst Falls' <i>does not take as long to flower as other Wisteria; sometimes blooms the first or second year</i>	○	60" or more	60" or more	lavender-blue, fragrant	medium green, climbing	early to late summer (Jun-Aug)
--	---	-------------	-------------	-------------------------	------------------------	--------------------------------

machrostachya (Kentucky Wisteria)

'Blue Moon' <i>extremely winter hardy, does not take as long to flower as other Wisteria</i>	○	60" or more	60" or more	light lavender-blue, fragrant	medium green, climbing	late spring to early summer (May-Jun)
--	---	-------------	-------------	-------------------------------	------------------------	---------------------------------------

YUCCA (Adam's Needle, Needle Palm)

Yucca, once established, will probably flower every other season.

filamentosa

'Bright Edge'	○ ☞	30-36"	30-36"	creamy white	gray-green with golden-yellow	mid to late summer (Jul-Aug)
'Color Guard'	○ ☞	30-36"	30-36"	creamy white	gray-green with golden-yellow to creamy white stripes, some pink highlights	mid to late summer (Jul-Aug)